


OF

AD A045040



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-4

OCCUPATIONAL SURVEY REPORT.

ELECTRONIC PRINCIPLES 10 PT- 111. 17.

AD A 045040



EMS

COMMUNICATIONS ELECTRONICS SYSTEMS
SPECIALIST

AFSC 30455

AFPT-90-304-222 2 September 1977

OCCUPATIONAL SURVEY BRANCH

USAF OCCUPATIONAL MEASUREMENT CENTER

LACKLAND AFB TEXAS 78236

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

AD NO.


408889

B

TABLE OF CONTENTS

	PAGE NUMBER
PREFACE	2
INTRODUCTION	3
DEVELOPMENT OF THE ELECTRONIC PRINCIPLES INVENTORY (EPI)	3
ADMINISTRATION	3
PRESENTATION OF RESULTS	6
APPENDIX	7

A subject of the state of the s



PREFACE

This report presents a summary of the results of a detailed Air Force Electronic Principles Survey of the Communications Electronics Systems Specialist, AFSC 30455.

The Electronic Principles Inventory (EPI) was developed by Major Thomas J. O'Connor and Mr. Hendrick W. Ruck and the survey data were analyzed by Captain Harold T. Welch. All are members of the Occupational Survey Branch, USAF Occupational Measurement Center, Lackland AFB, Texas.

Computer programs for analyzing the data were designed by Dr. Raymond E. Christal, Occupational and Manpower Research Division, Air Force Human Resources Laboratory (AFHRL), and were written by the Project Analysis and Programming Branch, Computational Sciences Division, AFHRL.

Distribution of this report is made upon request to the USAF Occupational Measurement Center, attention of the Chief, Occupational Survey Branch (OMY), Lackland AFB, Texas 78236.

This report has been reviewed and is approved.

JAMES A. TURNER, JR., Colonel, USAF Commander USAF Occupational Measurement Center WALTER E. DRISKILL, Ph.D. Chief, Occupational Survey Branch USAF Occupational Measurement Center

ELECTRONIC PRINCIPLES OCCUPATIONAL SURVEY REPORT COMMUNICATIONS ELECTRONICS SYSTEMS SPECIALIST AFSC 30455

INTRODUCTION

This report summarizes the results of the administration of the Electronic Principles Inventory to airmen assigned as Communications Electronics Systems Specialist (AFSC 30455). The data for this report were collected during the period April through June 1977.

This report describes: (1) development and administration of the survey instrument; and (2) electronic principles used by DAFSC 5-skill level personnel both CONUS and overseas and assigned to selected major commands. \bigwedge

DEVELOPMENT OF THE ELECTRONIC PRINCIPLES INVENTORY (EPI)

The EPI was developed by personnel from the Occupational Survey Branch who were well qualified in theoretical physics and electronics, as well as in task analysis and survey development. Over 300 maintenance personnel from SAC, TAC, ADC, MAC, and AFCS participated in the development of the inventory. Representing the five ATC training centers, electronics experts who averaged 12 years of maintenance experience and four years of electronic principles instruction experience spent several weeks refining the EPI. In addition, personnel at the Electrical Engineering Department of the USAF Academy and the Air Force Human Resources Laboratory were consulted during the development of the inventory.

The final version of the EPI used in this survey contained 1,257 items in 62 subject matter areas covering all electronic principles training given at the five ATC technical training centers. Table 1 lists the 62 subject areas.

ADMINISTRATION

The Electronic Principles Inventory was administered by mail to AFSC 30455 airmen worldwide. Responses from 233 individuals represented 53 percent of the total of all AFSC 30455 personnel. Table 2 shows the percentage distribution by major command of the survey incumbents.

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

TABLE 1
EPI SUBJECT AREAS

SEQUENCE OF SUBJECT AREAS	SUBJECT AREA TITLE	BEGINNING ITEM NUMBER	GPSUM PAGE NUMBER
	MATHEMATICS	43	2
1	MATHEMATICS DIRECT CURRENT AND VOLTAGE	A1	2 2 2 3
2 3 4 5		A15	2
3	RESISTANCE MULTIMETER USES	A24 B52	2
4	ALTERNATING CURRENT		4
6		B61	4
0	INDUCTORS AND INDUCTIVE REACTANCE	B67	4
7	CAPACITORS AND CAPACITIVE	C92	4
	REACTANCE	C92	5
8	TRANSFORMERS	C128	6
9	MAGNETISM	C171	7
10	RCL CIRCUITS	D185	8
11	SERIES AND PARALLEL RESONANCE	D229	O
"	(TIME CONSTANTS)	0229	10
12	FILTERS	D239	10
13	COUPLING	E261	11
14		E273	
15	SOLDERING RELAYS	E295	11 12
16	MICROPHONES	F314	
17	SPEAKERS	F314 F327	12 13
18	OSCILLOSCOPES	F342	
19	SEMICONDUCTOR DIODES	G354	13 13
20	TRANSISTORS	G404	15
21	TRANSISTORS TRANSISTOR AMPLIFIERS	G428	16
22	SOLID-STATE SPECIAL PURPOSE	0420	10
22	DEVICES	H477	19
23	POWER SUPPLIES	H483	19
24	OSCILLATORS	H512	19
25	MULTIVIBRATORS	1539	20
26	LIMITERS AND CLAMPERS	1555	21
27	ELECTRON TUBES	1565	21
28	ELECTRON TUBE AMPLIFIERS	J609	21
20	AND CIRCUITS	0009	22
29	SPECIAL PURPOSE ELECTRON	J616	22
23	TUBES	0010	23
30	HETERODYNING, MODULATION, AND	J632	23
30	DEMODULATION	0032	23
31	AM SYSTEMS	K638	23
32	FM SYSTEMS		
32	LL 21215W2	K666	24

TABLE 1 (CONTINUED)

EPI SUBJECT AREAS

SEQUENCE OF SUBJECT AREAS	SUBJECT AREA TITLE	BEGINNING ITEM NUMBER	GPSUM PAGE NUMBER
33	NUMBERING SYSTEMS	K685	25
34	LOGIC FUNCTIONS	L695	25
35	BOOLEAN EQUATIONS	L708	26
36	COUNTERS	L733	27
37	TIMING CIRCUITS	M757	27
38	USE OF SIGNAL GENERATORS	M769	28
39	MOTORS AND GENERATORS	M779	28
40	METER MOVEMENTS	N808	29
41	SATURABLE REACTORS AND	N818	
	MAGNETIC AMPLIFIERS		29
42	WAVESHAPING CIRCUITS	N834	30
43	SINGLE SIDEBAND SYSTEMS	0845	30
44	PULSE MODULATION SYSTEMS	0875	31
45	ANTENNAS	0914	32
46	TRANSMISSION LINES	P953	34
47	WAVEGUIDES AND CAVITY	P984	
	RESONATORS		35
48	MICROWAVE AMPLIFIERS AND	P1034	
	OSCILLATORS		37
49	REGISTERS	Q1110	39
50	STORAGE DEVICES	Q1117	40
51	DIGITAL TO ANALOG CONVERTERS	Q1126	40
52	PHANTASTRONS	Q1140	41
53	SCHMITT TRIGGERS	R1141	41
54	CABLE FABRICATION	R1144	41
55	INPUT/OUTPUT DEVICES	S1146	41
56	PHOTO SENSITIVE DEVICES	S1149	41
57	SYNCHRONOUS VIBRATIONS (CHOPPER CIRCUITS)	\$1150	41
58	INFRARED	T1159	41
59	LASERS	T1186	42
	DISPLAY TUBES	T1220	43
60	PROGRAMMING	U1234	
61			43 44
62	DB AND POWER RATIOS	U1255	44

TABLE 2
COMMAND REPRESENTATION OF SURVEY SAMPLE

		304	155
	COMMAND	PERCENT ASSIGNED	PERCENT OF SAMPLE
	AFCS	64	65
	AFSC	7	9
	TAC	6	6
	ATC	2	5
ח	PACAF	6	4
	ADC	4	3
	MAC	5	3
	OTHERS	6	5
	TOTAL	100	100

Total Assigned - 439 Total Sample - 233 Percent Sampled - 53%

PRESENTATON OF RESULTS

Personnel responded "yes" or "no" to the 1,257 electronic principles questions as related to their present job. A Group Summary (GPSUM) computer printout is provided in the Appendix portion of this report. Page 1 of the GPSUM lists the five selected groups identified for this report. Pages 2-44 show the percentage of the incumbents responding to the EPI items. The computer program results display the percent members answering "yes" to the subject area questions. The reader can locate a specific subject area by referring to the Appendix page number as listed in Table 1. For example, the Transformers area results are given on page 6 of the GPSUM. The percentage of survey respondents indicating use of specific electronic principles ranged from high in areas such as Multimeter Uses (p. 3) and Soldering (p. 11) to low in areas such as Infrared (pp. 41-42) and Display Tubes (p. 43). Additional AFSC 30455 data can be obtained upon request to the Chief, Occupational Survey Branch (OMY).

APPENDIX

PCT HUNS RESPONDING TYEST BY SELECTED GRPS

TABBLATION OF ELECTRONIC PRINCIPLES UTILIZATION DATA FOR SELECTED GROUPS IN THE 30455 CAREER FIELD.

REPORTS ON THE FOLLOWING GHOUPS WERE REQUESTED

233 HEMBERS. 213 MEMBERS. 20 HEMBERS. 152 HEMBERS. 20 MEMBERS.
CONTAINING
S STATIONED IN CONUS IS STATIONED OVERSEAS IS ASSIGNED TO AFCS IS ASSIGNED TO AFSC
DAFSC 30455 DAFSC 30455 DAFSC 30455 DAFSC 30455
AALL AIRREN ALL AIRREN ALL AIRREN ALL AIRREN
SPC151 A SPC152 A SPC153 A SPC154 A
106 N 1 1 7 V 10 C N 1 1 1 V 10 C N 1 1 7 V 1 C N 1 1 7 V 1 C N 1 1 7 V 1 C N 1 1 7 V 1 C N 1 1 7 V 1 C N 1 1 7 V
000000

GPSUM7 PAGE 1

Þ	>	>	>	A	>	> >	>	-	A 1	D	. >	>	>	Þ	>	-	>)	• >		>	1.	Þ	Þ	,	P 1		r	Þ				>			>			r -
3,	32	3	30	29	28	27	25	24	23	22	2	7 -9	18	17	16	5			-	-	-	4	20		, 0		£	u				2			_			PERCEN
POTENTIOMETER. A3-10 DO TOU USE RESISTOR COLON CODES WHICH INDICATE OHMIC VALUE OF RESISTANCE.		>	RESISTORS ON ANY TASKS YOU DESCRIBE		43-05 DO YOU	4 7 90 00 700 ADJUST RESISTORS.	A3-02 DO TOU	*3-01 00 400 MOM	AZ-09 DO YOU USE THE TERM		ACTOR DO TOO USE THE TERM	AZ-05 DO TOU USE THE TERM	AZ-04 DO YOU USE THE TERM	AZ-U3 DO YOU USE THE TERM	42-02 DO YOU USE	2-01 00	1-14 00	ALTER DO TOU SOLVE OR USE SINUITANEOUS EQUATIONS.		A1-11 00 YOU		41-04 DO YOU		CALCULATIONS.	1-07 DO YOU	S ALIOU DO TOU CONVERT WINDRESS TO LOGARITIMA.	A1-04 00		ON THE JOB.	APPLY THE INFORMATION FROM THE PUBLICATION IN A USEFUL WAY	TO THE PERSON NAMED BY A PROPERTY OF TO RECEVENT YOU YOU		OF 10.	METERS OF OSCILLOSCOPES, IN WAICH IT IS NECESTART TO	AT-UT IN YOUR PRESENT JOB . DO YOU USE INSTRUMENTS, SUCH AS	01-15		PERCENT MEMBERS PERFORMING
92	æ •	9	u	90	9_	00 0 0. 4	9-	8.3	72	~ ~	3 3	. 4	26	9 3	42	9 .	2 .	5 =	:	-	- 7	•	1.2	:		ه ه	22	-				45			œ.	151		
92	9	90	33	89	90	00 0 00 4	90	82	23	22	3 .	0	28	9	43	9	25		-	15	18	7	12		, ,	00	23	4 3				\$			60	152	SPC	
00	95	95	v	100	100	9 0	100	90	15	5	, ,	0	0	95	30	95	0	ט ע	n	0	0	0	5		0 0	25	10	25				90			90	153	SPC	
•	89	8.8	3 4	16	90	3 0	90	1.8	22	21	11		28	9	<u>.</u>	20	27		:	-	0	7	1 4	:		o £	25	45				6			82	5	SPC	
100	100	9.5	35	95	95	9 2	95	85	20	25	35	10	20	95	50	95	5	0	•	20	25	S	10	,	J. (35	20	45				0			95	100	SPC	
						RESISTANCE							AND VULIAGE	DIRECT CURRENT																			MATHEMATICS					

1

											And the second of the second s												MIII TIMETED HEES	220 171717			
~		5 PC	6.5	50	•	9.8	9	0.4	09	20	0.9	09	0.0	0.9	20	0.9	0.9	0	09	20	9.5	5	n n	S	56	o 0	100
PAGE		5 P C	9 8	76	34	6 8	7.2	-	10	55	8.9	23	9	15	9	99	5.7	9	•	15	06	• 0	- un	۰	0 0	0 0	06
GPSUNZ PAGE		5 P.C	15	0	52	9.5	20	9	0.0	0	35	35	45	30	35	4.5	0	5	30	35	100	S	200	0	70	00	100
3		5PC	*	23	36	-	7.0	0.	6	53	4.	57	7	54	0	6.7	57	7	53	20	9.2	٠.	- 60	60	5 0	0 8	9.2
		151	9	7.7	35	=	60	28	•	25		55	63	25	8	.	5.5	63	5	20	9.5	• 6	, ,	1	82	- 00	9.3
PCT HERS RESPONDING 'YES' BY SELECTED GRPS	TASK GROUP SUMMARY PERCENT MEMBERS PERFORMING	0Y-15K	A 34 A3-11 DO YOU USE RESISTOR COLOR CODES WHICH INDICATE	A 35 A3-12 NOU USE RESISTOR COLOR CODES WHICH INDICATE	A 36 A3-13 DO YOU MAKE DECISIONS IN WHICH YOU MUST DETERMINE HOW TWO OR HORE BATTERIES MUST BE CONNECTED TOGETHER TO	ACHIEVE A SPECIFIC VOLTAGE. A 37 A3-14 DO YOU USE OR REFER TO THE SCHEMATIC SYMBOLS WHICH A DISCONDINE STATEMENT STATEMENT OF STATEMEN	A 3A A3+15 DO YOU CALCULATE TOTAL RESISTANCE FOR SERIES	A 39 A3-16 DO YOU CALCULATE TOTAL CURRENT FOR SERIES RESISTIVE	CIRCUTTS. A 40 A3-17 DO TOU CALCULATE INDIVIDUAL VOLTAGE DROPS FOR SERIES	A 41 A3-18 DO YOU CALCULATE POWER DISSIPATION FOR SERIES	A 42 A3-19 DO YOU CALCULATE TOTAL RESISTANCE FOR SERIES PARALLEL	A 43 43-20 DO YOU CALCULATE TOTAL CURRENT FOR SERIES PARALLEL	RESISTIVE CIRCUITS. A 44 A3-21 DO YOU CALCULATE INDIVIDUAL VOLTAGE DROPS FOR SERIES	4 45 A3-22 DO YOU CALCULATE INDIVIDUAL BRANCH CURRENTS FOR	SERIES PARALLEL RESISTIVE CINCUITS. A "4 A3-23 DO YOU CALCULATE POWER DISSIPATION FOR SERIES	PARALLEL RESISTIVE CIRCUITS. A 47 A3-24 DO YOU CALCULATE TOTAL RESISTANCE FOR PARALLEL	A 48 A3-25 DO YOU CALCULATE TOTAL CURRENT FOR PARALLEL RESISTIVE	CIRCUITS. 49 A3-26 DO YOU CALCULATE INDIVIDUAL VOLTAGE DROPS FOR	A SU A3-27 DO YOU CALCULATE INDIVIDUAL BRANCH CURRENTS FOR	PARALLEL RESISTIVE CINCULIS. A 51 A3-28 DG YOU CALCULATE POWER DISSIPATION FOR PARALLEL RESISTIVE CIRCUITS.	52 BI-01 DO YOU	53 81-02 00 YOU REPAIR O	55 B1-04 D0	56 HI-05 00 YOU	57 81-06 00 You	B SH BI"ON DO TOU USE MULTIMETENS. B SH BI"OB DO YOU DIMECILY USE A QUANTITY OF CHARGE CALLED A	60 81-09 DO YOU READ SCHEMATICS.

TASK GROUP SUMMARY

000		5	α	c	æ		σ	C			G		c		2		c	3	J :	<i>s</i>	r c	T (re	r 0		7	- 0	z :	α	r :	2: 1	7	σ		
90	20	88	87	œ	85	. E	*	82		a	0	r C	7.0		,	77	76	75	7 4	7	7	7	70		,		57	0	2	0	0	62	>		
83-24 DO YOU WORK WITH AUDIO	INDUCTIVE REACTANCE IS DIRECTLY	8 A3-22 DO YOU USE OR REFER TO THE GENERAL RULE THAT	7 83-21 DO	6 83-20	a. a.	4 4 1 7	3 83-17 00	2	PERSONALITY OF THE CORE MISCILLY PROPORTIONA	LENGTH.	INDU	SECTIONAL AREA OF THE CORE.	B3-13 DO	E C011.	INDUCTANCE IS PROPORTIONAL T	83-11 DO YOU USE OR REFER	BJ-10 DO YOU USE OR REFER TO	OI BASTH NO BEN NOA OO AGEE	AS-CH DO YOU USE ON REFER TO	P3-07 DO TOU USE OR REFER TO HENRIES.	3-06 DO YOU USE ON HEFER TO I.	BJ-US DO YOU REHOVE	DO YOU ADJUST INDUCTOR	S STOR DO YOU CHEAN INDUCTORS.	SHOW THE INSPECT INDUCTORS.	TOTAL CONTRACTOR CHOICE COLL	13-61 DO YOU WORK WITH INDUCTIONS ON CIRCUITS CONTAINING	12-US DO TOU USE OR REFER TO THE TERM	42-05 DO YOU USE ON HEFER TO THE TERM	B2-04 DO YOU USE OR HEFER TO THE TERM WAVE LEN	1 HZ-US DO YOU USE ON HEFER TO THE TERM AVERAGE	2 - 2-04 DO YOU USE OR REFER TO THE TERM PEAK TO	1 82-01	97-75x	
7 0	*	33	26	40	20	21	21	16		15	-	:	15			-	19	-	56	o .	75	82	82	76	25		83	36	91	0	78	87	70	151	500
70 60	40	35	28	42	21	22	22	17		-		-	16			20	20	-	58	67	77	82	8 3	77	88		83	36	9_	60	77	8.8	76	152	SPC
70	40	15	01	25	10	5	0 0	5		c		,	0		u	יט ח	5	0	35	40	55	80	75	05	80		85	35	90	55	35	80	75	151	245
57	4	11	26	38	20	20	21	17		-	;	=	-		;		14	-	57	4	76	82	¥ 2	77	8		78	33	89	59	76	8	76	5	SPC
80	5.5	35	30	40	15	15	15	15		<u>.</u>			15			20	25	20	55	80	B	90	80	G	90		95	50	100	55	60	90	40	155	SPC
																						INDUCTIVE REACTANCE	INDUCTORS AND	THE PROPERTY OF THE PROPERTY O									ALTERNATING CURRENT		

SAND
SELECTED
100
. YES
NE SPONDING
H BRS
-

GPSUM7 PAGE 5

TASK GROUP SUMMARY PERCENT MEMBERS PERFORMING

CAPACITORS IN YOUR PRESENT CAPACITORS OR CIRCUITS CONTAINING	90 TOU WORK WITH THE CAPICITORS OR CIRCUITS CONTAINING 82 153 154 15 150 150 150 150 150 150 150 150 150			CAPACITORS AND	CAPACITIVE REACTANCE																														
CC-01 DD YOU WORK HITH CAPACITURES OR CIRCUITS CONTAINING 82 151 152 153 155 155	CLOUD ON YOU WORK WITH CEPACITORS OR CIRCUITS CONTAINING 82 151 152 153 155 155	5 PC	80	96	0 0		0 0	6	30	2	96	;	0 0	100		45	08	00	80	9	20		-	50		2	2.	5	0		25	0	ţ	30	
CIT-01 DO YOU WORK UNITH CAPACITORS OR CIRCUITS CONTAINING 82 81 152 152 152 152 152 152 152 152 152 15	CLIPEL DO YOU WORK WITH CAPACITORS OR CIRCUITS CONTAINING 82 81 152 152 152 152 150 100 YOU WORK WITH CAPACITORS. CLIDOS DO YOU LISSPECT CRACITORS. CLIDOS DO YOU USE OR REFER TO DISTRIBUTED CRACITARCE. A DIELE TRACE CRACITORS. CLIDOS DO YOU USE OR REFER TO DISTRIBUTED CRACITARCE. A DIELE TRACE CRACITORS. CLIDOS DO YOU USE OR REFER TO DISTRIBUTED CRACITARCE. A DIELE TRACE CRACITORS. CLIDOS DO YOU USE OR REFER TO DISTRIBUTED CRACITARCE. A DIELE TRACE CRACITORS. CLIDOS DO YOU USE OR REFER TO DISTRIBUTED CRACITARCE. A DIELE TRACE CRACITORS. CLIDOS DO YOU USE OR REFER TO DISTRIBUTED CRACITARCE. CLIDOS DO YOU USE OR REFER TO DISTRIBUTED CRACITARCE. CLIDOS DO YOU USE OR REFER TO DISTRIBUTED CRACITARCE. CLIDOS DO YOU USE OR REFER TO DISTRIBUTED CRACITARCE. CLIDOS DO YOU USE OR REFER TO DISTRIBUTED CRACITARCE. CLIDOS DO YOU USE OR REFER TO DISTRIBUTED CRACITARCE. CLIDOS DO YOU USE OR REFER TO DISTRIBUTED CRACITARCE. CLIDOS DO YOU USE OR REFER TO DISTRIBUTED CRACITARCE. CLIDOS DO YOU USE OR REFER TO DISTRIBUTED WITH CONTROLITS. CLIDOS DO YOU USE OR REFER TO DISTRIBUTED CRACITARCE. CLIDOS DO YOU USE OR REFER TO THE GRACEAL RULE THAT CLIDOS DO YOU WERE NOT THE CAPACITARCE OF CAPACITORS. CLIDOS DO YOU USE OR REFER TO THE GRACEAL RULE THAT CURRENT TO THE GRACEAL CRACITARCE OF CAPACITORS. CLIDOS DO YOU USE OR REFER TO THE GRACEAL RULE THAT CURRENT TO THE GRACEAL RULE THAT CURRENT TO THE GRACEAL RULE THAT CURRENT TO THE GRACE THAT CURRENT TO THE GRACEAL RULE THAT CURRENT TO THE GRACE RULE THAT CURRENT TO THE GRACEAL RULE THAT CURRENT TO THE GRACE RULE THAT CURRENT TO THE GRACEAL RULE THAT CURRENT TO THE GRACE RULE	5PC 154	18	16	00 6	0 0	0 00	06	30	1	30	;		- s		15	7 9	8	T :	*	1.7	;	?	2	:	2	0.7	0	38		20	36	32	3.6	
C1-01 D0 YQU WORK HITH CAPACITORS OR CIRCUITS CONTAINING C1-02 D0 YQU WORK HITH CAPACITORS OR CIRCUITS CONTAINING C1-02 D0 YQU CLEAN CAPACITORS C1-03 D0 YQU CLEAN CAPACITORS C1-03 D0 YQU CLEAN CAPACITORS C1-03 D0 YQU CLEAN CAPACITORS C1-04 D0 YQU CLEAN CAPACITORS C1-05 D0 YQU ALDISC CAPACITORS C1-05 D0 YQU DISCHARGE CAPACITORS C1-05 D0 YQU YALDISC CAPACITORS C1-05 D0 YQU YALDISC CAPACITORS C1-07 D0 YQU YALDISC C1-07 D0 YQU YANDISC C1-07 D0 YQU YA	C1-01 DO YOU WORK WITH CAPACITORS OR CIRCUITS CONTAINING C1-02 DO YOU WORK WITH CAPACITORS OR CIRCUITS CONTAINING C1-02 DO YOU CLEAN CAPACITORS. C1-03 DO YOU CLEAN CAPACITORS. C1-04 DO YOU VISIT CAPACITORS. C1-05 DO YOU USE OR REFER TO DISTRIBUTED CAPACITANCE. A DIELECTRIC. A DIELECTRIC. A DIELECTRIC. C1-10 DO YOU USE OR REFER TO CAPACITOR COURS COURS. C1-10 DO YOU USE OR REFER TO CAPACITOR COURS COURS. C1-12 DO YOU USE OR REFER TO CAPACITOR COURS COURS. C1-12 DO YOU USE OR REFER TO CAPACITOR COURS COURS. C1-12 DO YOU USE OR REFER TO CAPACITOR COURS. C1-13 DO YOU USE OR REFER TO CAPACITOR COURS. C1-15 DO YOU USE OR REFER TO CAPACITOR COURS. C1-15 DO YOU USE OR REFER TO CAPACITOR COURS. C1-15 DO YOU USE OR REFER TO CAPACITOR COURS. C1-15 DO YOU USE OR REFER TO CAPACITOR COURS. C1-15 DO YOU USE OR REFER TO CAPACITOR COURS. C1-16 DO YOU USE OR REFER TO CAPACITOR COURS. C1-17 DO YOU USE OR REFER TO CAPACITOR COURS. C1-18 DO YOU USE OR REFER TO CAPACITOR COURS. C1-19 DO YOU USE OR REFER TO THE GAMERAL RULE THAT C1-20 DO YOU USE OR REFER TO THE GAMERAL RULE THAT C1-20 DO YOU USE OR REFER TO THE GAMERAL RULE THAT C1-21 DO YOU USE OR REFER TO THE GAMERAL RULE THAT C1-22 DO YOU USE OR REFER TO THE GAMERAL RULE THAT C1-22 DO YOU USE OR REFER TO THE GAMERAL RULE THAT CURRENT C1-23 DO YOU USE OR REFER TO THE GAMERAL RULE THAT CURRENT C1-25 DO YOU USE OR REFER TO THE GAMERAL RULE THAT CURRENT C1-25 DO YOU USE OR REFER TO THE GAMERAL RULE THAT CURRENT C1-25 DO YOU USE OR REFER TO THE GAMERAL RULE THAT CURRENT C1-25 DO YOU USE OR REFER TO THE GAMERAL RULE THAT CURRENT C1-25 DO YOU USE OR REFER TO THE GAMERAL RULE THAT CURRENT C1-25 DO YOU USE OR REFER TO THE GAMERAL RULE THAT CURRENT C1-25 DO YOU USE OR REFER TO THE GAMERAL RULE THAT CURRENT C1-25 DO YOU USE OR REFER TO THE GAMERAL RULE THAT CURRENT C1-25 DO YOU USE OR REFER TO THE GAMERAL RULE THAT CURRENT C1-25 DO YOU USE OR REFER TO THE GAMERAL RULE THAT CURRENT C1-25 DO YOU USE OR	5PC 153	06	100	75	000	0 0	100	52	'n	56		0 0	4 2		30	\$	56	100	0	30		2	0		n	30	30	30		T	35	30	S	
CIT-D1 DO YOU WORK WITH CAPACITORS OR CIRCUITS CONTAINING CAPACITORS IN YOUR PRESENT JOB CAPACITORS IN YOUR PRESENT JOB CIT-D2 DO YOU LUSE CAPACITORS. CI-D3 DO YOU LUSE CAPACITORS. CI-D4 DO YOU USE CAPACITORS. CI-D5 DO YOU USE OR REFER TO ORBITAL STRESS OF ELECTRONS IN A DIELECTRIC. CI-D5 DO YOU USE OR REFER TO ORBITAL STRESS OR ELECTRONS IN CI-D5 DO YOU USE OR REFER TO ORBITAL STRESS OR ELECTRONS CI-D5 DO YOU USE OR REFER TO CAPACITORS. CI-D5 DO YOU USE OR REFER TO CAPACITORS. CI-D5 DO YOU USE OR REFER TO CAPACITIVE REACTANCE CI-D5 DO YOU USE OR REFER TO CAPACITIVE REACTANCE CI-D5 DO YOU USE OR REFER TO CAPACITORS OF CORS CI-D5 DO YOU USE OR REFER TO CAPACITORS OF CORS CI-D5 DO YOU USE OR REFER TO CAPACITORS OF CORS CI-D5 DO YOU USE OR REFER TO CAPACITORS OF CORS CI-D5 DO YOU USE OR REFER TO CAPACITORS OF CORS CI-D5 DO YOU USE OR REFER TO CAPACITORS OF CORS CI-D5 DO YOU USE OR REFER TO CAPACITORS OF CORS CI-D5 DO YOU USE OR REFER TO CAPACITORS OF CORS CI-D5 DO YOU USE OR REFER TO THE GENERAL RULE THAT CURRENT CI-D5 DO YOU USE OR REFER TO THE GENERAL RULE THAT	CI-01 DO YOU WORK WITH CAPACITORS OR CIRCUITS CONTAINING CAPACITORS IN YOUR WITH CAPACITORS CIOUS DO YOU CLEM CAPACITORS. CIOUS DO YOU CLEM CAPACITORS. CIOUS DO YOU CLEM CAPACITORS. CIOO DO YOU WEEK OF REFER TO REPEAT OR CAPACITORS. CIOO DO YOU WEEK OF REFER TO DISTRIBUTED CAPACITANCE. CIOO DO YOU WEE OR REFER TO DISTRIBUTED CAPACITANCE. CIOO DO YOU WEE OR REFER TO CAPACITORS. CIOO DO YOU WEE OR REFER TO CAPACITORS. CIOO DO YOU WEE OR REFER TO CAPACITANCE. CIOO DO YOU WEE OR REFER TO CAPACITANCE. CIOO DO YOU WEEK OR REFER TO CAPACITANCE. CIOO DO YOU WEEK OR REFER TO CAPACITANCE. CIOO TOU WEE OR REFER TO CAPACITANCE. CIOO TOU WEEK OR REFER TO CAPACITANCE. CIOO TOU WEEK OR REFER TO CAPACITANCE. CIOO TOU WEEK WITH CAPACITORS IN DON'T REMEMBER WHICH CIOO TOU WORK WITH CAPACITORS IN DON'T REMEMBER WHICH CIOO TOU WORK WITH CAPACITORS IN DON'T REMEMBER WHICH CIOO TOU WORK WITH CAPACITORS IN DON'T REMEMBER WHICH CIOO TOU WORK WITH CAPACITORS IN DON'T REMEMBER WHICH CIOO TOU WORK WITH CAPACITORS IN DON'T REMEMBER WHICH CIOO TOU WORK WITH CAPACITORS IN DON'T REMEMBER WHICH CIOO TOU WORK WITH CAPACITORS IN DON'T REMEMBER WHICH CIOO TOU WORK WITH CAPACITORS IN DON'T REMEMBER WHICH CIOO TOU WORK WITH CAPACITORS IN DON'T REMEMBER WHICH CIOO TOU WORK WITH CAPACITORS IN DON'T REMEMBER WHICH CIOO TOU WORK WITH CAPACITORS IN DON'T REMEMBER WHICH CIOO TOU WORK WITH CAPACITORS IN DON'T REMEMBER WHICH CIOO TOU WORK WITH CAPACITORS IN DON'T REMEMBER WHICH CIOO TOU WORK WITH CAPACITORS IN DON'T REMEMBER WHICH CIOO TOU WORK WITH CAPACITORS IN DON'T REMEMBER WHICH CIOO TOU WORK WITH CAPACITORS IN TO NOW CENCENTY CAPACITORS OF COURSELY PROPORTIONS IN SERESPENDED ON TOU WEEKER TO THE GENERAL RULE THAT CURRENT CAPACITORS OF REFER TO THE GENERAL RULE THAT CURRENT CAPACITOR OF COURSELING IN THE CONTROL OF CAPACITORS IN SERESPENDED ON TOU WEEKER TO THE GENERAL RULE THAT CURRENT CAPACITOR OF COURSELING IN THE COURSELL OF THE CENERAL RULE THAT CURRENT CAPACITOR OF COURSELING IN THE CENERAL RULE THAT CURRENT CAPACITOR OF COURSELING IN THE COURS	5 PC	•	06	# ·	0 0	0 0	88	50	•	0.6		9 6	7 9		25	62	8	9 6	85	11		Ç	13		-	30	39	3,6	:	6	0	3.5	2 %	
DN-15x C1-01 DO YOU WORK WITH CAPACITORS C1-02 DO YOU CLEAN (APACITORS. C1-03 DO YOU CLEAN (APACITORS. C1-04 DO YOU CLEAN (APACITORS. C1-05 DO YOU LEST CAAACITORS. C1-05 DO YOU USE OR REFER TO DISTRIBUTE OR PARTICLES. C1-06 DO YOU USE OR REFER TO DISTRIBUTE ON THE CITY OF CORTANT C1-07 DO YOU USE OR REFER TO DISTRIBUTE ON THE CITY OF CORTANT C1-10 DO YOU USE OR REFER TO CAPACITORS. C1-11 DO YOU USE OR REFER TO CAPACITORS. C1-12 DO YOU USE OR REFER TO CAPACITOR CONSTANT CAPACITORS C1-13 DO YOU USE OR REFER TO CAPACITOR CONSTANT CAPACITORS C1-14 DO YOU USE OR REFER TO CAPACITOR CONSTANT CAPACITORS C1-15 DO YOU USE OR REFER TO CAPACITOR CONSTANT C1-16 DO YOU USE OR REFER TO CAPACITOR CONSTANT C1-17 DO YOU USE OR REFER TO CAPACITOR COURS C1-18 DO YOU USE OR REFER TO CAPACITOR COURS C1-19 DO YOU USE OR REFER TO CAPACITORS IN TREMBER C1-19 DO YOU USE OR REFER TO CAPACITORS OF CROUTS C1-10 DO YOU USE OR REFER TO CAPACITORS OF CROUTS C1-10 DO YOU USE OR REFER TO THE GENERAL RULE THAT CAPACITORS OF OUR REFER TO THE GENERAL RULE THAT CAPACITORS OF OUR REFER TO THE GENERAL RULE THAT C1-22 DO YOU USE OR REFER TO THE GENERAL RULE THAT C1-24 DO YOU USE OR REFER TO THE GENERAL RULE THAT C1-25 DO YOU USE OR REFER TO THE GENERAL RULE THAT C1-27 DO YOU USE OR REFER TO THE GENERAL RULE THAT C1-27 DO YOU USE OR REFER TO THE GENERAL RULE THAT C1-27 DO YOU USE OR REFER TO THE GENERAL RULE THAT C1-27 DO YOU USE OR REFER TO THE GENERAL RULE THAT C1-27 DO YOU USE OR REFER TO THE GENERAL RULE THAT C1-27 DO YOU USE OR REFER TO THE GENERAL RULE THAT C1-27 DO YOU USE OR REFER TO THE GENERAL RULE THAT C1-27 DO YOU USE OR REFER TO THE GENERAL RULE THAT C1-27 DO YOU USE OR REFER TO THE GENERAL RULE THAT C1-27 DO YOU USE OR REFER TO THE GENERAL RULE THAT C1-27 DO YOU USE OR REFER TO THE GENERAL RULE THAT C1-27 DO YOU USE OR REFER TO THE GENERAL RULE THAT C1-27 DO YOU USE OR REFER TO THE GENERAL RULE THAT C1-27 DO YOU USE OR REFER TO THE GENERAL RULE THAT C1-27 DO YOU USE OR REFER TO THE GENERAL RULE	C1-01 DO YOU WORK MITH CAPACITORS OR CIRCUITS CONTACTOR CAPACITORS. C1-02 DO YOU CLEAN CAPACITORS. C1-03 DO YOU CLEAN CAPACITORS. C1-04 DO YOU CLEAN CAPACITORS. C1-05 DO YOU CLEAN CAPACITORS. C1-05 DO YOU USE OR REFER TO DISTRIBUTE CAPACITANG. C1-06 DO YOU USE OR REFER TO DISTRIBUTE CONSTANT C1-10 DO YOU USE OR REFER TO CAPACITORS. C1-11 DO YOU USE OR REFER TO CAPACITORS. C1-12 DO YOU USE OR REFER TO CAPACITANGE RAITING. C1-13 DO YOU USE OR REFER TO CAPACITORS. C1-14 DO YOU USE OR REFER TO CAPACITORS. C1-15 DO YOU USE OR REFER TO CAPACITANGE COLOR C1-16 DO YOU USE OR REFER TO CAPACITANGE COLOR C1-17 DO YOU USE OR REFER TO CAPACITANGE COLOR C1-18 DO YOU USE OR REFER TO CAPACITANGE COLOR C1-19 DO YOU USE OR REFER TO CAPACITANGE COLOR C1-19 DO YOU WORK MITH CAPACITORS IN DC CIRCUITS C1-19 DO YOU WORK MITH CAPACITORS IN CIRCUITS WITH C1-10 DO YOU WORK MITH CAPACITORS IN CIRCUITS WITH C1-10 DO YOU WORK MITH CAPACITORS IN CIRCUITS WITH C1-10 DO YOU WORK MITH CAPACITORS IN CIRCUITS WITH C1-10 DO YOU WORK MITH CAPACITORS IN CIRCUITS C1-10 DO YOU USE ON REFER TO THE GENERAL RULE THAT CAPACITORS C1-10 DO YOU USE ON REFER TO THE GENERAL RULE THAT CAPACITOR OF CALCULATE THE TOTAL CAPACITANCE OF CAPACITANCE C1-12 DO YOU USE ON REFER TO THE GENERAL RULE THAT C1-12 DO YOU USE ON REFER TO THE GENERAL RULE THAT C1-12 DO YOU USE ON REFER TO THE GENERAL RULE THAT C1-12 DO YOU USE ON REFER TO THE GENERAL RULE THAT C1-12 DO YOU USE ON REFER TO THE GENERAL RULE THAT C1-12 DO YOU USE ON REFER TO THE GENERAL RULE THAT C1-12 DO YOU USE ON REFER TO THE GENERAL RULE THAT C1-12 DO YOU USE ON REFER TO THE GENERAL RULE THAT C1-12 DO YOU USE ON REFER TO THE GENERAL RULE THAT C1-12 DO YOU USE ON REFER TO THE GENERAL RULE THAT C1-12 DO YOU USE ON REFER TO THE GENERAL RULE THAT C1-12 DO YOU USE ON REFER TO THE GENERAL RULE THAT C1-12 DO YOU USE ON REFER TO THE GENERAL	151	82	6.1	693	0 0	0 0	69	28	•	06	•	9 6	87		80	09	88	8 7	9	1.8	,	7	2	:	7	38	38	36		20	39	5	24	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	J 00 00 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0	DY-15x	2 C1-01 DO YOU MORK WITH CAPACITORS OF	C1-02 DO 70U	C1-03 DO YOU	C1-04 DO 100	C1-05 DO 100	CI-OT DO YOU REHOVE	CI-08 DO YOU USE OR REFER	CI-09 DO TOU USE OR REFER TO ORBITAL STRESS OF ELECTRONS	A DIELECTRIC.	PICOFARADS.	CI-11 DO YOU USE ON REFER TO	CI-12 DO TOU USE OR REFER TO DIELECTRIC CONSTANT	CAPACITORS	CI-14 DO YOU USE OR REFER TO	C1-15 DO YOU USE OR REFER TO	CI-16 DO YOU WORK MITH CAPACI	CI-17 DO TOU WORK AITH CAPACITORS IN AC CIRCUITS	CI-18 DO YOU NORK WITH CAPACITORS IN CIRCUITS WITH BOTH	CI-19 DO YOU MORK WITH CAPACITORS IN DON'T REMEMBER	CINCUITS	CAPACITORS U	CI-21 DO YOU USE ON REFER TO THE GENERAL RULE THAT	DIELECTRIC CONSTANT	CAPACITANCE OF A CAPACITOR IS INVERSELY PROPORTIONAL	THE DIELECTRIC THICKNESS 4 CI-23 DO TOU CALCULATE THE TOTAL CAPACITANCE OF CAPACITOR	IN SERIES CI-24 DO YOU CALCULATE THE TOTAL CAPACITANCE OF CAPACITOR	IN PARALLEL	IN SERIES-PARALLEL CIRCUITS	CI-26 DO YOU USE OR REFER TO THE GENERAL RULE THAT	LI-27 DO YOU USE OR REFER TO THE GENERAL RULE THAT	CAPACITIVE	20 C1-29 DO 700	

PERCENT MEMBERS PERFORMING

0	0	^	0	^	0	0	0	0	~ ~		,	0	^	0	0	^		0	0	~ ~	-	-	^	1	0	0	0	0	~	0		
5.	0.51	64	4 4	147	146	45	-	1 4 1	- 47			139	138	137	1 10	135			1 3 3	132		129	12	1		125	124	123	~	121		
FOR .		0	TEASURING DUTBIT OF TRANSFORMERS FOR SHORTED WINDINGS BY WEASURING DUTBIT OF TRACES	0	0	TRANSFORMERS	CZ-17 DO YOU WORK WITH RADIO FREQUENC	C2-16 00	CA-14 DO TOU WORK WITH AUTOT	TRANSFORMERS	TRANSFORMERS	C2-12 DO	C2-11 00	CZ-10 00 100	62-29	12-08 00 YOU	THE PRIMARY WINDING	CZ-07 DO TOU REHOVE OR REPLACE TRANSFORMER PARTS. S	C2-06 DO YOU REMOVE OR REPLACE COMPLETE		CA-03 00 700	CZ-02 DO YOU INSPECT TRANSFORMERS	•	CAPACITORS	C1-35 00 TOU WORK WITH CERAMIC (FIXED) CAPAC	C1-34 DO YOU WORK WITH	C1-33 00 YOU WORK #17H	C1-32 DO YOU WORK WITH	C1-31 DO YOU WORK	CI-30 DO YOU WORK WITH	04-42×	
9 !	55	•	73	<u>o</u> c	35 GC	-	57	T 00	6.3	13	:	2	20	- 8	•		:	- 0		. 00	79	8 .	79	1.3	0	8.8	30 G	92		7	151	SPC
90	55		75	80	8	1.3	56	00 O	55	-4	: :	20	20	-	5	12	:	7 0		5	80	86	79	13	90	90	89	92	70	7.4	152	50
95	55	35	60	85	95	20	600	9 8	30	0	:	25	-2	0 1	c	5	c	0		25	65	85	80	15	90	85	75	95	0 0	75	153	200
8.8	5	39	7.3	78	87	5	5 -	88	54	־	2	30	20	15	•	•		- 0	4	51	8.2	88	*	-	87	8.8	87	8 0	**	12	154	6
95	50	30	80	90	90	15	0 0	90	60	-5	2	30	30	30	15	25	6.2	3 6	0	55	8.5	90		10	100	00	000	- 00		24	188	6

TRANSFORMERS

GRPS
SELECTED
B
. 7.5.5
RESPONDING
No KS
U

GPSUN7 PAGE 7

TASK GROUP SUMMANY PLACE IT MEMBERS PERFORMING

SPC SPC SPC SPC	81 90 79 85	84 90 83 80	88 95 86 95	70 65 65 90	1 78 75 75 90	73 80 70 85	43 30 40 50	42 25 39 40	31 30 30 25	50 55 49 55	23 20 21 20	21 19 29	11 11	:	13 10 15 1	0 1 10	1 4 10 14	15 20 17 1	5 0 5 15	CHICAMATAN MANAGEMENT CONTRACTOR AND THE RESIDENCE	10 10 10 10	20 5 18	18 5 15 15		22 5 20 20		42 25 43	5 01 0 11 0
5PC	82	9.8	88	10	7.8	7.4	*	F	-	5.0	22	20	:		12	0 .	-	- 5	S	New York	0 3	18	1,		20		*	10
Dr=15k	C2-25 00	153 (2-24 DO YOU REFER TO MULTIPLE TAP SCHEMATIC SYMBOLS FOR	154 CZ-20 YOU REFER TO CENTER TAP SCHEMATIC SYNBOLS FOR	TRANSFORMERS 55 C-12 TO TO REFER TO AIR CORE SCHEMATIC SYMBOLS FOR	156 CATTO TO THE FER TO IRON CORE SCHEMATIC STABOLS FOR TRANSFORMERS	157 C2-30 DO REFER TO COMBINATIONS OF THE ABOVE SCHEMATIC	158 CZ-31 DO TOU DETERNINE PHASE RELATIONSHIPS BETWEEN SECONDARY AND PRIMARY VOLTAGES OF THANSFORMERS USING	SCHEMATIC STHBOLS 159 C2-12 DO TOU DETERMINE OR REFER TO THE TYPE OF CORE IN	THANSFORMER'S TOU MORK WITH	TOTAL MATTER TO STEP TO STEP TON NATIOS	FOR TRANSFORMERS 162 (2-35 DO YOU CALCULATE VOLTAGE RATIOS FOR TRANSFORMERS	USING TURNS KATIOS		PLASE TRANSFORMERS	00	2-39 00	DO TOU TROUBLE SHOOT THREE	62-42 00	TRANSFORMERS 170 (2-4) DO YOU REHOVE OR REPLACE THREE PHASE TRANSFORMER	PARTS SUCH AS MINDI	171 C3-01 DO TOU USE OR REPER TO PERMANENT MAGNETS	C3-03 DO YOU USE OR REFER TO RETENTIVITY		MATERIALS	175 C3-65 DO YOU USE ON PEFER TO PERMEABILITY OF MAGNETIC	CI-06 DO YOU USE OR REFER TO RESIDUAL	DO TOU USE OR REFER TO	THUS STOOT OUT USE OR REFER TO MEBER'S THEORY OF MAGNETISM
	C 152			155											1 6													
	J	U	v	U	U	U	J	U	J	J	J		,	,	J	0	0	, ,	U	-	J .	, ,	-	,	U	3	U	J

TASK GROUP SURHARY

c	c	c	C	0	c	c	0		c	e	С	c	c	0	c	z,	57	0	0	^	0	2	0		
603	202	102	200	199	9 8	197	9	195	4	193	192	9	190	28	T.	87	80	185	00	8 3		0 0			
HITH MEL CIRCUITS OF REFER TO CIRCUIT Q WHEN WORKING WITH RCL CIRCUITS	000		_ ^	DI-15 DO TOU USE OR REFER TO SELECTIVITY WHEN MORKING WITH	DI-IN 60 YOU USE ON REFER TO BANDWIDTH WHEN WORKING WITH		000			TORKING ATTE OF CIRCLITS	DI-00 DO YOU USE OR REFER TO THUE POWER (PT) WHEN MORKING	CINCULTS OF TOU USE OR REFER TO WATTS WITH MORKING WITH RCL	DI-06 DO TOU USE ON REFER TO TANGENT WHEN WURKING WITH RCL	DI-05 DO YOU USE OR REFER TO COSINE WHEN WORKING WITH RCL	DI-04 DO TOU USE OR REFER TO SINE WHEN WORKING WITH RCL		DI-02 DO YOU USE OR REFER TO VECTORS WHEN WORKING WITH HCL	- 1		DO YOU USE THE LEFT HAND THUMB RULE TO FIND.	DO YOU USE ON HEFER TO	USE OR REFER	DO TOU USE ON REFER TO	07-15x	
40	51	23	<u>•</u>	57	67	0	27	24	30	32	28	‡	-	-	1.7	12	24	61	12	26	50	25	=	151	
42	1 5	23	62	57	67	65	27	25	30	32	28	*	15	15		13	25	67	23	21	56	25	12	152	6
25	50	20	•0	60	65	55	25	10	35	35	30	50	0	0	0	0	10	75	10	15	55	2.5	3.5	153	0
	5	21	62	57	0	0	26	23	30	32	28	£	12	:	-	-	23	63	20	26	5 9	22	:=	154	9
\$	40	10	55	55	60	60	25	20	20	30	20	50	15	15	20	10	30	75	25	25	50	25		155	5

RCL CIRCUITS

6 8 P S
SELECTED
8
YES' BY
NE SPONDING
HARS
-

SPSUMT PAGE

TASK GROUP SUMMANY PERCENT MEMBERS PERFORMING

204 U1-20 DO YUUUSE OR REFER TO TANK CINCUIS WHEN WORKING 205 D1-21 DO YOU USE OR REFER TO TANK CINCUIS WHEN WORKING 205 D1-21 DO YOU USEFRINE VALUES OF TRIGONOMETRIC FUNCTIONS 205 D1-22 DO YOU CECULATE TOTAL IMPEDANCE FOR CAPACITIVE 207 D1-23 DO YOU CALCULATE PHASE ANGLES BETWEEN IMPEDANCE AND 208 D1-23 DO YOU CALCULATE TOTAL IMPEDANCE FOR SERIES RCL 209 D1-25 DO YOU CALCULATE TOTAL IMPEDANCE FOR SERIES RCL 209 D1-25 DO YOU CALCULATE TOTAL IMPEDANCE FOR SERIES RCL 200 D1-20 DO YOU CALCULATE TOTAL IMPEDANCE FOR SERIES RCL 210 D1-20 DO YOU CALCULATE TOTAL IMPEDANCE FOR SERIES RCL 210 D1-20 DO YOU CALCULATE TOTAL IMPEDANCE FOR PARALLEL RCL 212 D1-29 DO YOU CALCULATE TOTAL IMPEDANCE FOR PARALLEL RCL 213 D1-29 DO YOU CALCULATE TOTAL IMPEDANCE FOR PARALLEL RCL 214 D1-29 DO YOU CALCULATE TOTAL IMPEDANCE FOR PARALLEL RCL 215 D1-29 DO YOU CALCULATE TOTAL IMPEDANCE FOR PARALLEL RCL 216 D1-20 DO YOU CALCULATE TOTAL IMPEDANCE FOR PARALLEL RCL 217 D1-29 DO YOU CALCULATE FORER TATOR TOTAL CURRENT FOR PARALLEL RCL 218 D1-29 DO YOU CALCULATE FORER TATOR TOTAL CURRENT FOR PARALLEL RCL 218 D1-29 DO YOU CALCULATE FORER TATOR TOTAL CURRENT FOR PARALLEL RCL 218 D1-29 DO YOU CALCULATE FORER TOTAL IMPEDANCE FOR PARALLEL RCL 218 D1-29 DO YOU CALCULATE FORER TOTAL RESONANT THEORY. TOTAL CHANGE TOTAL 219 D1-29 DO YOU CHECK CAPACITORS USING SUBSTITUTION 220 D1-39 DO YOU CHECK REPERTION THE GENERAL RULE THAT LINE 220 D1-39 DO YOU CHECK REPERTION TO THE GENERAL RULE THAT LINE 220 D1-39 DO YOU USE ON REFER TO THE GENERAL RULE THAT LINE 220 D1-39 DO YOU USE ON REFER TO THE GENERAL RULE THAT LINE 220 D1-39 DO YOU USE ON REFER TO THE GENERAL RULE THAT LINE 220 D1-39 DO YOU USE ON REFER TO THE GENERAL RULE THAT LINE 220 D1-39 DO YOU USE ON REFER TO THE GENERAL RULE THAT LINE 220 D1-39 DO YOU USE ON REFER TO THE GENERAL RULE THAT LINE 220 D1-39 DO YOU USE ON REFER TO THE GENERAL RULE THAT LINE 220 D1-39 DO YOU USE ON REFER TO THE GENERAL RULE THAT LINE 220 D1-39 DO YOU USE ON REFER TO THE GENERAL RULE THAT LINE 220 D1-39 DO YOU USE ON REFER TO	151 152 153 154 155	45 67 45 67 60	v. ee	14 15 0 11 15	21 22 5 23 15	01 6 5 01 01	20 20 20 20 20 20 20 20 20 20 20 20 20 2	· ·	12 10 11	12 13 10 12 10	13 13 10 13 10	01 61 5 61 81	141 142 143 143 143 143 143 143 143 143 143 143	12 13 0 13 15	22 15 21		202	71 70 67	56 57 50 55 60		22 23 10 23 20	32 33 25 31 35		27 27 20 24 30		26 27 20 24 25		31 33 15 32 35	21 23 10 20 20
	DY-15K	#174 RCL CIRCUITS	DI-21 DO YOU DETERMINE	DI-ZZ DO YOU DRAW VOLTAGE.	DIAGRAMS FOR CIRCUITS	CIACUITS 8 DI-24 DO YOU CALCULATE	RESISTANCE IN CAPACITI	C18CU175	CIRCUITS DI TOU CALCULATE APPARENT POWEN (PA) FOR SERIES	CIRCUITS DI-28 DO YOU CALCULATE TRUE POMER (PT) FOR SERIES RCL	CIRCUITS 51-27 DO YOU CALCULATE POMER FACTORS (PF) FOR SERIES	CIRCUITS DI-JU DO YOU CALCULATE TOTAL CURRENT FOR PARALLEL	01-31 DO TOU	CIRCUITS 01-32 DO YOU CALCULATE TOTAL IMPEDANCE FOR PARALLEL	CIRCUITS USING THE ASSUMED VOLTAGE METHOD DI-33 DO YOU CALCULATE TOTAL IMPEDANCE FOR PARALLEL	CIRCUITS USING OHM'S LAW	DI-35 DO TOU CHECK CAPACITORS USING	01-36 DO TOU CHECK INDUCTORS USING	01-37	THETAM OF PF M 1, AND PA M PT FOR RESONANT	3 C1-39 DO YOU CALCULATE RESONANT FREQUENCIES		CURRENT MAXIMUM AT THE		IPEDANCE MAXIMUM AT	DI-42 DO TOU USE OR REFER TO THE GENERAL RULE	POWER POINTS ARE AT 70.7 PERCENT OF THE PEAK	DI #43 DO YOU USE ON MEFER TO THE GENERAL RULE	100

PERCENT MEMBERS PERFORMING

c	0	0	o	0	C	0	c	c	c	0	c		0	C	c	0	C	0	c		0		c	2				c		c			C	C			c	C	c	c		0		
258	257	256	255	254	253	252	157	250	. 49	248	247		244	245	144	243	247	-	240		239		,	238				237		236			235	234			433	132	131	230		12		
CINCUITS	0	03-18	03-17 DON	03-16 00	03-15 00	03-14	03-13	DJ-12 DO TOU WORK WITH	03-11	03-10 00 YOU WORK WITH	00 60-50	PARTS	03-08 00	03-07 00 YOU	D3-06 DO YOU	03-05 DO YOU	03-04 DO YOU	03-03 DO TOU	D3-02 DO	PRESENT JOB	0	FIVE (5) TIME CONSTANTS	THE RESIDENCE OF THE STATE ACTOR ACTOR	A-10 to You like OB REFER TO THE SENERAL BUILD	TIMES	COMPONENT VOLTAGES TO REACH SPECIFIC VALUES IN SPECIFIC		0	ENT VOL	02-05	FOR RC ON LR CIRCUITS	CIRCUIT CURRENT OR COMPONENT VOLTAGES	D2-07 DO TOU USE EQUATIONS OR FORMULAS TO DETERMINE	02-06	TIME CONSTANTS (TC)	CAPACITOR IS FULLY CHARGED (OR DISCHARGED) AFTER FIVE (5)	C	D3-04 DO YOU WORK WITH. USE. ON REFER TO	D4-03 DO TOU WORK WITH, USE, ON REFER TO	DZ-02 DO YOU WORK WITH, USE, ON REFER TO	TO SERIES	9 DZ-01 IN YOUR PRESENT JOB: DO YOU WORK W	07-75x	
50	5 9	58	25	37	4.4	4	13	4 8	72	74	73	,	73	5	12	64	56	57	74		11			30				-		15			-	-			34	25	28	42			15	SPC
5 9	•	5 9	24	38	45	47	13	40	73	75	74		75	59	73	69	57	8	75		78		•	3				15		0			17	5			30	27	3-			4 9	152	SPC
ŝ	*0	ţ	40	20	25	30	15	6	60	60	65		60	50	65	60	50	50	65		70			5			3	s		r		,	5	5			2.5	5	5	0		-5	53	390
57	5	5 8	26	34		45	-	47	11	73	72		74	51	72	68	57	68	75		76						9	-					•				3.6	24	30	4		47	54	SPC
55	55	55	2.5	45	55	50	20	ť	70	70	75		75	70	75	70	50	65	75		75						;	10		10			0	10			35	20	25	45		55	155	SPC
																		FILTERS																					(IIME CONSTANTS)	PARALLEL RESONANCE	SERIES AND	, , , , , , , , , , , , , , , , , , , ,		

GRPS
9
SELECTE
F
35
-
10
.YES.
YE
•
Z
RESPONDING
ô
S
Z
S
I
-
2

SPSUM7 PAGE 11

TASK GROUP SUMMARY PENCENT MEMBERS PENFORMING

D3-41 DON'T KEHENBER WHICH TYPE OF BASIC CIRCUIT D3-42 DO YOU USE EQUATIONS OR FORMULAS TO DETERMINE D3-42 DO YOU USE EQUATIONS OR FORMULAS TO DETERMINE E1-05 DO YOU USE EQUATIONS OR FORMULAS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH RC COUPLING E1-05 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH E1-04 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH HE ACTUAL CIRCUITRY THE COMPONENTS WITH CHAVE COMPONENTS HILL WOUND YOU WORK WITH TRANSFOWER COUPLING E1-05 DO YOU WORK WITH TRANSFOWER COUPLED CIRCUITS E1-05 DO YOU WORK WITH TRA	SPC SPC SPC SPC SPC	23 23 25 23 20 19 20 5 18 20	82 81 85 78 80 78 78 80 76 90	75 75 73 80 COULLING	77 85 74	74 74 75 70 80	81 80 85 76 85 77 77 85 73 80 76 77 75 72 80	78 85 74 86 95 88 1 73 65 73 70 75 69	80 80 80 80 85 SOLDERING 89 85 SOLDERING 89 85 85 85 85 85 85 85 85 85 85 85 85 85	88 100 89 79 50 66 79 79 79 27 20 27 27 20 27
	0Y-TSK	480 0	262 E1-01 DG YOU HORK MITH COUPLING DEVICES IN YOUR PRESENT 262 E1-02 OG YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH RC	26) E1-03 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE THE ACTUAL CIRCUITAY THE COMPONENTS ASSOCIATED WITH IMPEDANCE COUPLING.	THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH TRANSFORMER COUPLING ZEG E1-US DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENT WHICH PERFORM RC COUPLING	264 E1-06 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE WHICH PERFORM IMPEDANCE COUPLING 267 E1-07 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE WHICH PERFORM TRANSFORMER COUPLING	263 E 269 E	271 E1-11 DO YOU 272 E1-12 DON'T R 273 E2-01 IN YOUR 274 E2-02 DO YOU 275 E2-03 DO YOU	276 E2-04 DO YOU CLEAN CONNECTIONS USING SO 277 E2-05 DO YOU STRIP INSULATION FROM WIRE 278 E2-05 DO YOU STRIP INSULATION FROM WIRE 278 E2-07 DO YOU BEND OR SHAPE MIRES ON LEA 280 E2-09 DO YOU FILE OR SHAPE SOLUERING IR 281 E2-10 DO YOU FILE OR SHAPE SOLUERING IR 282 E2-10 DO YOU FILE N SOLDERING IRON TIPS 283 E2-11 DO YOU CLEAN SOLDERING IRON TIPS 283 E2-11 DO YOU CLEAN SOLDERING IRON TIPS 283 E2-11 DO YOU CLEAN SOLDERING IRON TIPS	287 £2-13 00 700 287 £2-14 00 700 287 £2-15 00 700 288 £2-15 00 700 289 £2-17 00 700

PERCENT HENBERS PERFORMING

	25	20	25	21	21	FI-13 DO YOU PERFORM TASKS ON
		- 6	n n	40		FI-12 DO YOU PERFORM TASKS ON
	25	30	20	30	29	FI-II DO YOU PERFORM TASKS ON
	35	28	5	29	28	FI-10 DO YOU PERFORM TASKS ON
	50	5	6	5	50	F1-09 DO YOU
	50	#	30	4 3	42	FI-OR DO YOU REHOVE OR REPLACE
	90	74	55	73	71	FI-07 DO YOU REMOVE OR REPLACE
	55	40	25	4 8	+	FI-06 DO YOU TROUBLESHOOT DOWN
						S OR MICHOPHONES
						CONNECTIONS BUT DO WOT TROUBLESHOOT DOWN TO COMPONENT
	65	56	55	56	56	
MICKUPHONES	85	73	50	73	71	
WI COOPERS	85	66	55	65	4	61-03 DO
	90	75	60	74	73	\$1-02 00 YOU
						WITH HICKOPHONES
	90	78	60	77	76	F 314 FI-01 IN YOUR PRESENT JOB DO YOU PERFORM ANY TASKS DEALING
				,		
	75	60	5	70	70	E STABOLS FOR RELATS
	65	50	60	54	55	
						COPDII SCHEMATIC SYMBOLS
	70	53	55	•	60	E 311 E3-17 DO YOU USE OR REFER TO DOUBLE POLE. DOUBLE THROW
	70	53	55	60	60	
	75	55	55	6	• 1	
						(SPST),
	70	50	60	62	62	E3-14 DO YOU USE OR REFER TO SINGLE
	35		25	35	34	JUT E3-13 DO YOU PERFORM TASKS ON HELAY
	35	25	15	27	24	JOB E3-12 DO YOU PERFORM TASKS ON RELAY
	30	20	5	22	20	YOU PERFORM TASKS ON KELAY
	25	17	5	18	17	DO YOU PERFORM TASKS ON RELAY
	65	57	75	59	60	YOU
	45	53	50	5.	52	302 83-08 DO YOU
	65	69	08	70	71	DO YOU THOUBLESHOOT RELAYS
KELAYS	35	26	5	26	24	300 83-06 DO
000	15	68	80	69	70	199 E3-05 DO YOU HEMOVE OR HEPLACE COMPLETE
	80	6 8	90	71	,,	00 YOU
	70	6 4	70	00	0	297 E3-03 DO YOU
	24	#	30	45	4 3	196 E3-02 DO YOU
	80	11	90	75	76	295 €
						0100
	45	89	100	87	88	E 194 E2-22 DO YOU SOLDER ACTIVE COMPONENTS SUCH AS SOLID-STATE
						CAPACITO
	90	88	100	86	88	YOU SOLD
	26	89	001	8 7	30	2-20 DO YOU MAKE PRINTED (
	95	80	90	85	28	E 291 E2-19 DO YOU MAKE MANDWIRE CONVECTIONS
						4.1
	270	- 0	- 5	50	-5-0	07-15%
		0	101	0		

PCT HARS RESPONDING .YES. BY SELECTED GRPS

GPSUNT PAGE 13

TASK GROUP SUMMANY PERCENT MEMBERS PENFORMING

			SOLAVEDS	SPEAKERS													AND STREET OF THE STATE OF THE			OSCILLOSCOBES	OSCILLOSCOPES															SEMICONDUCTOR	DIODES	UTODES				
5PC 155	0.	8 5	42	100			35	80	40	52	10	5	25	20	- 5	15	9.5	85			95		7.5	8.5	20	90	į	2	0	0 8		06	45	9	00	00	00	2	S		30	
SPC 154	18	7.	0 1	6.1			32	1.6	9	11	7	0	*	*	13	-	88	8	4	2	18		83	80	37	9	;	,	83	7.8		86	# 60	4	87	87		,	23		32	
5 P.C.	0,	9 2	0	0 0			s	59	0	20	0	20	0	so.		0	9.5	06	•		100		9 9	09	52	06	:	22	7.0	20.00		100	56	06	9 5	9.6	10	2	S		S	
5 PC	11	7.3	6 2	67			31	74	9 1	11	1	0	*	+	12	0	0.6	06		0	69		82	0.8	38	8 7		0	9	19		87	88	or ec	8	88	4	,	51		32	
5PC 151	4.	23	9 6	7,0			58	73	18	80	•	•	*	-	12	0	6	06	9	0	06	,	90	19	37	87	;	•	82	11		88	88	4	24	9	00	,	21		31	
AZT-YU	F 327 F2-01 IN YOUR PRESENT JOB: DO YOU PENFORM ANY TASKS DEALING	328 52-02 00 700	324 62-03 00 100	000	CONNECTIONS BUT DO NOT TROUBLESHOOT DOWN TO	PARTS OF SPEAKERS	DO YOU TROUBLESHOOT DOWN TO SPEAKE	333 FZ-07 DO YOU REHOVE OR REPLACE	334 FZ-08 DO YOU REMOVE OR REPLACE SPEAKER PAR	F2-09 DO YOU PERFORM ANY TASKS ON SPEAKER	336 FZ-10 DO YOU PERFORM ANY TASKS ON SPEAKER	337 FZ-11 DO TOU PERFORM ANY TASKS ON SPEAKER FIELD	338 FZ-12 DO YOU PERFORM ANY TASKS ON SPEAKER	339 FZ-13 DO YOU PERFORM ANY TASKS ON SPEAKER	DO YOU PERFORM ANY TASKS ON SPEAKER	F2-15 DO YOU PERFORM ANY TASKS ON SPEAKER SOFT	DO YOU USE OSCILLOSCOPES IN YOUR PRE	343 F3-02 DO YOU USE OSCILLOSCOPES TO PERFORM OPERA	CHECKS	ACTUSTMENTS USE USE LEGISLOFES	F 345 F3-04 DO YOU USE OSCILLOSCOPES TO TROUBLESHOOT ELECTRONIC	CIRCUITS	346 F3-05 DO YOU USE OSCILLOSCOPES TO MEASURE	347 F3-06 DO YOU USE OSCILLOSCOPES TO MEASURE	13-07 DO YOU USE OSCILLOSCOPES TO OBSERVE	349 F3-08 00 YOU USE OSCILLOSCOPES	UTILIXING ATTENDATOR PROBES		351 53-10 DO YOU USE DSCILL DSCOPES	3-11 DO YOU USE OSCILLOSCOPES TO MEASURE	SIGNALS AFTEN FIRST ADJUSTING THE GAIN AND D		354 61-01 00 100	355 61-07 00	356 61-03 00 You		358	530010	USE PN JUNCTION DIDDE CHARACTERISTIC	TOGETHER WITH VALUES OF FORMAND AND REVERSE BIAS VOLTAGE: TO COMPUTE FORMAND OR REVERSE LIAS RESISTANCE	7 00 YOU COMPUTE	04.5

TASK GROUP SUNHARY

-

-5

GRP S
SELECTED
B
. YES.
RESPONDING
HEKE
L

GPSUNT PAGE 15

TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

																							TOANCISTORS	- COLCTONIANI	
SPC 155	s	0.1	S	s	5	01	01	4.5	4 - 0 0	-	10	01	0	8	01	20	5.5	55	55	9	100	001	95	5	\$
5 P C	1	٠	-	1.3	22	\$	*	3	4 - 8	1.1	=	20	15	7.3	=	7.2	4.2	34	37	3	89	6 8	80	8	60
5 P.C.	•	5	s	S	01	S	S	\$ 50	\$ 0	0	51	1.5	S	75	'n	8.	25	50	25	5.0	9.5	56	00	50	06
5PC 152	•	=	13	-	22	- 5	15	*	9 -			20	•	11	-	74	7	36	30	\$	10	0 4	0 00	60	40
SPC		01	13	2	~	2	*	4.5	* -	11	=	20	15	11	10	75	* 2	35	38	ś	6	0 0	0	06	o- so
DY-154	6 383 61-30 DO YOU USE ON HEFER TO FURBIDDEN BAND IN	6 JR4 61-31 DO YOU USE OR REFER TO CONDUCTION BAND IN	6 385 GI-32 DO USE OR MEFER TO COVALENT BONDING IN	6 386 GI-33 DO TOU USE OR REFER TO ELECTRON-HOLE PAIR CREATED IN	6 387 61-34 DO TOU USE OR REFER TO ELECTRON FLOW OR HOLE FLOW IN	G 388 GI-35 DO YOU USE OR REFER TO DONOR IMPURITY IN	G 384 G1-36 DO TOU USE OR REFER TO ACCEPTOR IMPURITY IN	390 G1-37 DO TOU USE OR MERER TO P-TYPE SEMICONDUCTOR	6 391 GI-38 DO YOU USE OR REFER TO N-TYPE SENICONDUCTOR MATERIAL G 392 GI-39 DO YOU USE OR REFER TO MAJORITY CARRIERS IN	3 OR	G 394 GI-11 DO TOU USE OR REFER TO JUNCTION RECOMBINATION IN	G 395 GI-42 DO YOU USE OR REFER TO DEPLETION REGION IN	6 396 GI-43 DO TOU USE OR REFER TO RELATIONSHIP BETWEEN BARRIER	4 197 SI-44 DO YOU USE OR REFER TO THE 10:1 BACK TO FRONT	RESISTANCE MATIO FOR DIODES G 343 GI-45 DO TOU USE ON REFER TO BARRIER MEIGHT IN	SEMICONDUCTORS 6 399 LI-46 DO YOU USE OR REFER TO DIODE SUBSTITUTION		G 401 GI-48 DO YOU USE ON MEFER TO PLAK RECURRENT FORWARD CURRENT	G 402 GI-49 DO TOU USE OR REFER TO MAXIMUM SURGE CURRENT DIODE	G 403 G1-50 DO YOU USE OR REFER TO PEAK REVERSE (INVERSE) VOLTAGE	404 67-01 DO YOU	G HOS GA-US DO TOU INSPECT TRANSISTORS G HOS GA-US DO TOU REHOVE OR REPLACE TRANSISTORS	407 62-34 00 700		G 409 SZ-06 DO TOU USE OR REFER TO COLLECTOR - BASE (CB) FORWARD AND REVERSE RESISTANCE MEASUREMENTS

TASK GROUP SUNHARY

PCT HBRS RESPONDING "YES" BY SELECTED GRPS.

GPSUMY PAGE 17

TASK GROUP SUMMARY PERCENT MEMBERS PERFORMING

TASK GROUP SUMMARY

•		6		6			6	6 4	•	G		c	6	•	6	6		6	6	6			6		•			6	
75		473		471			470	69	9 0	0,		400	294	4 0 1	63	107		4	60	459		951	457		56		\$ 25	4	
63-48 DO TROUBLESHOOT OR REPAIR COMPOUND-CONNECTED	DO YOU TROUBLESHOOT OR REPAIR COMPLEMENT	DO YOU TROUBLESHOOT OR REPAIR PUSH-PULL	GD-45 OF TOU TROUBLESHOOT OR REPAIR PARAPHASE AMPLIFIERS	GI-44 DO YOU DETERMINE THE CLASS OF OPERATION FOR	CONFIGURATION	CIRCUIT CAUSED BY CHANGING EMITTER RESISTANCE FOR	GATHS DO YOU MEED TO KNOW THE DEGENERATIVE EFFECTS ON THE	63-42 DO TOU TROUBLESHOOT TRANSISTOR CIRCUITS TO FIND THE	G3-41 DO YOU TROUBLESHOOT TRANSISTOR CIRCUITS TO FIND THE CAUSES OF PHASE DISTORTION	CIRCUITS		GAUSES OF AMPLITUDE DISTORTION GAUSES OF AMPLITUDE DISTORTION GAUSES OF AMPLITUDE DISTORTION	63-38 DO YOU TROUBLE SHOOT TRANSISTOR CIRCUITS TO FIND THE	G3-37 DO TOU IDENTIFY AMPLITUDE DISTORTION FOR TRANSISTOR	63-36 DO TOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS	WHICH PERFORM REVERSE BIAS DIDDE STABILIZATION	WHICH PERFORH FORMARD BIAS DIOUE STABILIZATION	CHAILS DO TOU TROUBLESTOOT CIRCUITS MAICH HAVE COMPONENTS	63-33 DO TOU THOUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS	G3-32 DO TOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM SELF-BIAS STABILIZATION	ERFORM EMITTER (SWAMPING) RESIST	GJ-31 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS	CA-30 DO TOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO	ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH	63-29 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO	ACTUAL CIRCUITRY THE COMPUNENTS ASSOCIATED WITH	MISTOR STABILIZATION	G3-27 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITANT THE COMPONENTS ASSOCIATED WITH	DY=15x
52	58	76	3.	47			37	59	*	;		•	6.8	50	+	2	•	52	52	52		52	<u> </u>		5		5	52	151
51	57	7.	38	47			37	5 9	*	9		62	68	51	42	2		52	53	53		5			5	:	52	5)	152 152
•0	•	80	35	#			å	5.5	35	٥	5	50	65	40	30	4	;	ţ	*5	6		36	ó		t t		4	\$ 5	153
52	55	75	<u> </u>	40			36	5 9	4	1	0	6	66	55	=	5 5	:	S	5.3	52		5	=		5		5	1.5	154
55	65	80	20	50			35	70	55	5		70	75	70	45	50		50	55	50		4	35		*			50	155

5985
O C
tal e-
5273735
8 4 8
TES
9
ONO
RESPONDING
MERS
-

GPSUM7 PAGE 19

TASK GROUP SUMMARY PERCENT MEMBERS PERFORMING

			SOLID-STATE	SPECIAL PURPOSE	DEVICES					PUWER SUPPLIES																											and the first control of the first for the first form the expension of the expension of the first control of
5 P C	0.8	35	30	0 0	100	06	56	8.5	00	2 6	0	80	06	10	00	0	25	06	55	10	10	70	70	25	500	0 00	4	9	15	9	-	n	09	3 5	52	5	8.0
SPC 154	99	47	39	2 2	0 00	20	99	8 8	9 0	8 6		10	87	10	0	4	28	8	62	90	16	1	11	2.5	* "	8 2	1		99	63		9	63	0	-		90
5 P C	0	35	52	0 4	9 6	9.5	06	80	08	0 0	0 0	25	06	8 1	2	0	25	06	4.5	7.0	85	6.5	25	0	9 2	0 0	4	3	05	4.5	0	20	20	3.5	57	0 1	9.0
5PC	63	45	37	0 0	9 2	8.7	87	88	37 1	5 0	9 2	11	98	11	0	a	56	8 7	7 9	19	16	7.3	72	50			7.5	0	99	63		0	63		7	13	7 0
SPC	6.3	1	99	0 0	9 2	88	88	87		0 0	0 0	11	98	11		7 4	28	8 7	62	7.8	11	7.3	70	20	10	82	,		65	•	4	00	29		7	13	9.8
DY-75K	G 476 G3-49 DU TOU TROUBLESHOOT OR REPAIR CASCADE-CONNECTED	477 H1-01 DO YOU USE OR HEFER TO	478 AI-02 DO TOU USE OR REFER TO TUNNEL DIDDES	THE MINE OF THE OF USE OR REFER TO	481 11-05 00 YOU USE OR	482 HI-06 DO YOU USE OR REFER TO INTEGRATED CIRCUITS	483 HZ-DI IN TOUR PRESENT JOB! D	*84 HZ-02 DO 700	O3 DO YOU CLEAN POWER SUPPLIES	TOWN MATERIAL OF THE STATE OF T	100 401 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	489 HZ-U7 DO YOU REMOVE OR	490 HZ-08 DO YOU R	191 HZ-09 DO YOU WORK WITH HALF-WAVE RECTIFIERS	00 01-7H 74	491 -2-11 no Y	194 HZ-12 DO YOU AORK AITH THREE-	495 42-13 DO YOU USE OR HEFER TO INPUT VOLTAGE	496 H2-14 DO TOU USE OR REFER TO	497 H2-15 DO YOU USE OR REFER TO	498 HZ-16 DO YOU USE OR REFER TO	199 42-17 00 YOU USE OR REFER TO	500 HZ-18 DO TOU USE OR REFER TO	301 HZ-14 DO 100 USE ON MEFER TO	H DOZ AZ-ZO DO TOU USE ON MEREN TO SHAPE OF DUIPUL MAVEFORMS	504 HZ-ZZ DO YOU WORK WITH CIRCUI	FILTERS	FILTERS	H 508 HZ-Z+ DO TOU MORK WITH CIRCUITS ANICH EMPLOY CAPACITIVE	¥00.	SOR STATE FILTERS	FILTER	H 509 HZ-27 DO TOU BORK MITH CIRCUITS WHICH EMPLOT RC PI-TYPE	51.0	REMEMBER HAICH TYPE OF FILTER	DO TOU HAVE THE OPTION O	-01 00 40

TASK GROUP SURFARY

1 547	1 546	1 545	1 544	1 543	1 542		1 541	1 540	1 539		539		н 535			1 531	H 532	H 531	H 530	1 044				H 525	1 524		ır	n 520			-	ır	s		r		
COMPONENTS	11-08 DO	_	_	_	11-04	CIRCU	11-03	11-02	-1	05011	1-27	H 3-25	H3-24	1		I	I	H3-20	H3-19	1	HJ-17	H 3 - 1 6	H3-15	13-14	13-17		13-10	H3-09	H3-08	H3-07	H3-06	H 3-05	10-04	13-01	. 1-02		
DO YO				00 700	00 You	115	1		DO YOU	LATORS				00 YOU		WHICH TYPE	00 YOU	00 YOU	00 700	115 45					700		00	DO YOU						100	_		
WORK WITH HULTIVIGRATURS WHICH CONTAIN LC TANK	TOU REMOVE OR REPLACE WAVE GENERATING OR SHAPING	TOU REMOVE OR REPLACE COMPLETE MAVE GENERATING OR	TROUBLESHOOT TO WAVE GENERATING OR SHAPING		CALIBRATE WAVE GENERATING OR SHAPING		ALIGN OF ADJUST WAVE GENERATING OR SHAPING	INSPECT WAVE GENERATING OR SHAPING CIRCU	WORK WITH MULTIVISHATORS IN YOUR PRESENT JOB	2022	TOXX W	HIL XOOR	WORK WITH COLPITTS SINUSOIDAL OSCIL	HORK WITH		OF FOO	U HORK HITH OSCILLATORS WHICH USE DON'T REMEMBER	U WORK WITH OSCILLATORS WHICH USE CHYSTALS AS	U WORK WITH OSCILLATORS WHICH USE RC NETWORKS AS		USE OR REFER TO OVER DAMPING	USE OR REFER TO	USE OR REFER TO	USE OR REFER TO PIEZOELECTRIC	USE OR REFER	USE OR REFER TO FREQUENCY	USE OR REFER TO A	USE ON REFER TO		TROUBLE SHOOT TO OSCILLATOR COMPONENTS		z.		U INSPECT OSCILLATORS		DY-TSK	
6.3	66	50	6.8	68	54		65	70	75	.,		-	52	4 4	,	S	2	7.	72	04	2	3-	١.		10	70	5.8	•0	11	80	39	78		0 00		151	101
•	:	51	6 0	69	5		67	70	76	23	3.		54	50		53	12	76	7.3	•	32	32	32		7.0	72	5 9	•	77	79	80	77		7 8		152	107
50	60	35	•	50	30		45	60	70	4		. 5	35	30		ř	20	55	55	60	20	20	25	25	70	5	50	55	75	90	90	85	•0	25	;	153	505
	•	52	6.8		57		6.	7	2	23	: -	-	52	40		£ 0	-	72	7.1	63	. w	35	34		7 2	70	59	59	74	78	79	79		7.0		154	
£3	67	~	-	-			_		1																												

MULTIVIBRATORS

1 549 1 5 5 6 1 1 5 6 1 1 5 6 1 1 5 5 1 1 1 5 5 1 1 1 5 5 1 1 1 5 5 1 1 1 5 5 1 1 1 5 5 1 1 1 1 5 5 1 1 1 1 5 5 1 1 1 1 1 1 5 5 1			PERCENT MEMBERS PERFORNING											
552			- 70	01-15A					SPC	SPC 152	SPC 5	SPC 154	2 P C	
549 550 551 552 553	11-10 DO YOU WORK WITH HULTIVISHATORS	U WORK	1 1 1 1	UL 1 1 V 1 B		WHICH CONTAIN	DNTAIN RC		•	:	20	.1	0.0	
550 551 552 553	NETHORNS 11-11 DO YOU WORK WITH MULTIVIBRATORS WHICH CONTAIN CHEETALE	OU WORK	# 1 # 1 #	ULTIVIB	RATORS W	HICH C	DNTAIN		23	8.8	£	0.	20	
	11-12 DO YOU WORK MITH MULTIVIORATORS WHICH CONTAIN	JU WORK	HILL	ULTIVIA	RATORS W	HICH CO		DON.1	91	1 5	20	51	2	
	REMEMBER WHICH TYPE OF FOD	WHICH I	TPE OF	F00	4 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	200149			;	**	,	7.		
	00 11-11	YOU WORK		ONOSTAR	WITH MONOSTARIE MULTIVIBRATORS	VIBRATE	285		. 6	200	4 5	n #	00	
	11-15 DO YOU WORK WITH	YOU WORK	# H	ISTABLE	BISTABLE MULTIVIBRATORS	BRATOR	200		63	99	35	9:	5.5	
	MULTIVIBRATORS	TORS		Z	DON'I REMEMBER WHICH I'VE		4			•	0	:	2	
1 555 12-	12-01 00 4	YOU WORK	FILE	IMITERS	LIMITERS OR CLAMPERS IN YOUR	PERS 1	YOUR		19	7.8	9.8	11	0.0	
556 12-	12-02 DO TO	YOU WORK	# 1 #	C SEIRS	SERIES DIODE LIMITERS	TERS			55	20	57	2.4	55	LIMITERS AND
			1 - 1 =	HUNT DI	SHUNT DIODE LIMITERS	TERS			15	53	35	15	55	CLAMPERS
-	00		1	IMITERS	LIMITERS WITH BIAS	Y S				0	5	9 1	35	
559 12-	2-05 00 10	TOU TORK		ENER DI	ZENER DIODE LIMITERS	TERS			9	0	52	57	0 :	
	2 2	TOU WORK		DN.1 K	T T T T T T T T T T T T T T T T T T T	TYPE	DON'T KNOW MAICH TYPE OF LIMITERS	88		9 4	25		0	
-	00		1	BASIC DI	DIODE CLAMPING CIRCUITS	PING CI	IRCUITS		. ;	45	20	6.2	6.5	
563 12-	2-09 00 70	YOU WORK	11	DIODE CL	AMPING	180011	CLAMPING CIRCUITS WITH BIAS	S V	0	70	45	100	90	
-						3						2		
565 13-	13-01 IN Y	JUR PRE	OUR PRESENT JOI	. 00 · 0	OU WORK	ON EGU	IN YOUR PRESENT JOB. DO YOU WORK ON EQUIPMENT WHICH	154	87	67	9.2	68	9.5	
566 13-	3-02 DO Y	YOU CHEC	K ELECT	RON TUB	ES TO SE	11 11 3	CHECK ELECTRON TUBES TO SEE IF THEY ARE GOOD	900	86	87	15	68	9.5	
	00	JO USE	TUBE TE	STERS T	USE TUBE TESTERS TO CHECK ELECTRON TUBES	ELECTRO	ON TUBES		9.2	•	10	8	45	ELECTRON TUBE
568 13-	3-04 00 40	USE	MULTINE	TERS TO	HULTIMETERS TO CHECK ELECTRON TUBES	LECTRO	TUBES		29	29	0 4	* *	55	
	200	YOU USE	SURSTIT	OF TON T	SUMSTITUTION TO CHECK ELECTRON TUBES	ELECTRO	N TUBES		- 8	- 5	90	9 9	000	
-	00	USE	OR REFE	OR REFER TO CUTOFF	TOFF				26	57	9.0	65	09	
-	00	USE		R TO PE	AK INVER	SE VOL	REFER TO PEAK INVERSE VOLTAGE RATING	9 2	33	34	15	34	30	
573 13-	3-09 00 40	350	OR REFER	10 PE	TO PEAK CURRENT	- W	2		9 6	37	20	35	35	
	30	USE		10 0	REFER TO PLATE DISSIPATION RATING	1PAT10N	RATING		30	3.	20	32	35	
-	00	USE		R 10 SA	TO SATURATION				55	96	20	59	09	
_	3-13 00 70	USE	OR HEFE	R 10 0C	OR HEFER TO DC PLATE RESISTANCE	ESISTAN	4CE		Ŧ	42	30		20	
578 13-	3-14 DO YOU	COMP	UTE ACT	COMPUTE ACTUAL VALUES OF	UES OF T	THE DC PLATE	LATE		•	• -	0.1	9	50	
	TAN	FORE	OR ELECTRON TUBES	TUBES										
580 13-			OR REFE	101	PEFER TO PLATE VOLTAGE	A 6 E			69	63	00	***	50	
-	0 0	200	OR REFER	2 2 2 2 2 2 2 2 2 2 2 2 2 2	TO SHIP CORRENT	1 4 1				9 0	70		2	
	8 8	USE		10 01	REFER TO GHID CURRENT	2				65	205		9 9	
-	00	350		R TO CA	REFER TO CATHODE VOLTAGE	LTAGE				82	75		90	
-	3-20 DO YO	350		R TO CA	CATHODE CURRENT	RRENT			9.8	99	5.5	67	20	
585 13-	3-21 po 100		OR HEFE	R 10 1	HEFER TO THE TRIODE AMPLIFICATION	AMPLIF	ICATION		42	26	50	56	51	
1	THE MATIO OF		MGE IN	PLATE V	OR FOR T	RIODES	FACTOR (THE AMPLIFICATION FACTOR FOR TRIODES IS DEFINED AS	RID AS	-					

22

UPSUM7 PAGE

PET HARS RESPONDING .YES. BY SELECTED GRPS

PERCENT MEMBERS PERFORMING

	TASK GROUP SUMMARY	TASE	GROUP												
		PERCE	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	5 4 3	AT HEMBERS PERFORNING										
					07-75x	š				SPC 151	5PC 152	5PC 153	SPC	5 PC	
	7	-	11-03	00 100	TROUBLESHOOT	0	REPAIR	PARAP	PARAPHASE AMPLIFIERS	£ .	36	50	34	52	
	רר		20-10	00 100	2 2	0 0	REPAIR	COMPO	COMPOUND-CONNECTED		• =	25	0 T	4 0	
	7	-	JI-06	F 1ERS	J TROUBLE SHOOT	80	KE PAIR		CASCADE -CONNECTED	5.3	*	0,	5.6	55	
	7	510		2 40	JI-07 DO TOU TROUBLESHOOT	40	REPAIR	DON'T	DON'T KNOW WHICH TYPE	23	23	52	27	1.5	
1	7	010	17	0 40	WORK WITH	S TU	GAS TUBES (HOT		CATHODE OR COLD	65	99	20	7.0	10	
	77	0 0	CATHODE 1	10 TOU	#ORK USE 0	THOD 10	E-RAY THE CHA	MACTER	RISTICS OF BEAM	86	23	8 -	00 K	\$ -	SPECIAL PURP
	, ,	0.0	7	TUBE 5	U TROUBLESHOOT	3	SE PAIR	CIRCUI	REPAIR CIRCUITS IN WHICH BEAM	31	33	5	3.4	30	
	7	970	7	1086	S ARE USED U USE OR REFER	10	THE CH	RACTER	CHARACTERISTICS OF	:	12	0		0	
	7	021		RONS	THYRATRONS	8	REPAIR	CIRCUI	REPAIR CIRCUITS IN WHICH	=	12	0	13	15	
	7	622	,	200	THTRATRONS ARE USED	0	THE PR	NCIPLE	ES OF OPERATION OF	9.2	63	75	9	10	
	7	023	ELECTRON GUNS OF 1 J2-08 DO TOU USE ELECTROMAGNETIC	NOON WOO	ELECTRON GUNS OF CATHODE HAY TUBES (CRT) 2-08 00 YOU USE ON REFER TO THE PRINCIPLES ELECTROMAGNETIC DEFLECTION SYSTEMS OF CATHO	O TO NO	THE PRI	NCIPLE OF CAT	PLES OF OPERATION OF CATHODE-RAY TUBES	82	93	5.2	60	75	
	7	624	7	0 TO	USE	575	TO THE PRINCIPLES OF SYSTEMS OF CATHODE-RA	CATHO	ES OF OPERATION OF	73	75	0	*	75	
	-	035	(CHT)		96.0	10	200	H SCRE	5 7 3 4	11	78	5.0	8.2	7.0	
	2		72-11		10 35 OK	10	AJUADAG COATINGS	COATI	1465	76	11	9 2	8.0	7.0	
	7		32-12	00 400	HO 350	10	ELECTRON OPTICS	I OD		5	9	57	æ (5 .	
	7 7	029	12-13	00 400	U USE OR REFER	0 0	DERSISTENCE	INES		37	2 60	30	3.0	30	
	7		32-15		USE OH	10	FLUORESCENCE	CENCE		7	5	30	53	\$ 1	
-	7	632	13-01	00 400	WORK OF	TRANSHIT	A C	RECEIVE	SYSTEMS IN YOUR	5	0 3	200	0 7	200	
	7		PRESE 13-02		PERFORM	0 0	8		Ś	33	32	40	26	0	
	,		3-03			S 0 N	TASKS ON FREQUENCY	NCY MI		33	33	40	28	35	HETEPODYNING
	7	3	1016J		TOU USE OR REFER TO THE METERODINING OF WORK WITH TRANSHIT OR RECEIVE SYSTEMS	100	THE HET	VE SYS	NING OF SIGNALS	*	*	0	53	35	MODULATION, A
1	3	030	33-05		TOU PERFORM TASKS ON REACTANCE MODULATORS	200	REACT	NCE MO	DOULATORS	18	18	20	15	25	DEMODULATION
	3 ×	+	x1-01		U WORK ON AM T	TRANSMIT	MIT OR	RECEIVE	VE SYSTEMS IN YOUR	34	35	30	33	30	
	~	633	PAESE x 1=02		INSPECT AM	X A N	M.7 OR	HECE 1	SYSTEMS	33	33	30	30	25	
	×	640	× 1-03			NSH	T 08 K	CEIVE	SYSTEMS	30	100	30	30	52	
	×	1 4 0	FO-1 H	00 400	ALIGH OR	ADJUST	AM TRANSMIT OR	SMIT	DR RECEIVE SYSTEMS	32	32	30	30	25	AM SYSTEMS

PERCI	TASK
7	6 7 0
18 H	4
RS	CZZ
THE MBERS PERFORMING	ARY
NG	

*	*		*	*	*	,	,	,	*		-	>		*		*	*		* ;	* 7	,	,		*		*	*	,	*	*	-	,	,		*		,	,			
0/5	674		673	672	67	0 / 17	100		767		499	000		664		000	662	00-	660	650		000		655		054	051	652	150	.50	0 4 9	2 .		2	2 10		4	643	042		,
				*	*						_															*									*	. 5		*			
-	-09	017	-08	-03	-06		200	X	×2-02	YOUR	KZ-01	2 2 4	E	-27	106	-26	×1-25	21-24	21-23	21-27		1	Z N	-10	X	-17	×1-16	×1-15	* 1 - 1 ×	× 1 - 1 4	K1-12			010	-08	SYSIEMS	CHP	-0.	×1-05		,
00	00	340	2-08 DO	x 2-07 DO	x 2-06 DO	X	200		00			100	SHI	00	E R	00			00	5 6	200	200	HIS	00	INS	00	00					0	1 0 00	COMPONENTS	×1-08 00	SHJ	1-07 DO YO	00	00		-
100	K2-09 DO YOU PERFORM TASKS ON AUDIO AMPLIFICAS	COMPONENTS	X2-08 DO YOU	2-07 DO YOU	¥00				100	PRESENT JOB	DO YOU WORK WITH FM TRANSMIT ON RECEIVE SYSTEMS	RECEIVER SCHEMATIC DIAGRAMS	TRANSMITTER	KI-27 DO YOU TRACE SIGNALS OR CURRENT PATHS THROUGH AM	IMAGE REJECTION RATIOS	x1-26 DO YOU USE	100		100		¥ 000		TRANSMITTERS	41-18 DO YOU USE	THANSHITTERS	x1-17 00 YOU	100		YOU			100		7 5	100		KI-07 DO YOU	K1-00 00 YOU	Y 00		
34	34									1	W .	1 7	25	TR	110	S	350			120			u	Sn	S							7 7					Z.				
NF O	250		REMOVE OR REPLACE FH TRANSMIT OR RECEIVE	REMOVE OR REPLACE FM TRANSMIT OR RECEIVE	TROUBLESHOOT TO FM TRANSMIT OR RECEIVE	INCORPEDENCE TO BE INANSEL ON MECETAE	ACTION FOR TAXABLE ON ACCUSE OF SECURITY	CLEAR AN INVANCE ON PECCESAL PROPERTY	INSPECT FM TRANSMIT OR RECEIVE STOTEMS	8	7	30	SCHEMATIC DIAGRAMS	3 O						0 0				NO		USE OR HEFER	PERFORM TASKS ON	PERFORM	PERFORM	PERFORM	PERFORM	PERFORM	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		REMOVE OR REPLACE AN TRANSMIT OR RECEIVE		REMOVE OR REPLACE AN TRANSMIT OR	TROUBLESHOOT TO	JAN		
3	ī		0	0	E 51			:	-			2 5	-	510	7	R								R		34	ĩ								C		o T	EST	183		
ASI	1 4 5		Ð	20	1001	100	7	3	3		-	2 2 2	0	NAC	Š	OR REFER	REFER	25 5 2	REFFR	25.50	25.45.	75.75		REFER		FER	ASK	TASKS	TASKS	TASKS	TASKS	TASKS	T. C. C.		RE		æ	1001	001	07-156	
0	N O		-	P .	10				2 2		7		AGR	S						10						70	5 0								PLA		PLA	10	70	25	
	ž		CE	3	7	*	, =		MS		SNV		MS	7										7 2											33		3				
7	100		ī	ï	7 2	7	1 2	2	2 0	'	1	COXXE 2 - 7 - 10 - 10 - 10 - 10 - 10 - 10 - 10		CRE	•	SIGNAL TO IMAGE RATIOS OR	IHAGE FREQUENCIES IN RECEIVERS	CO-CHANNEL INTERFERENCE	SULARE LAW DISTORTION	BANDPASS DISTORTION	SELECTION OF SECULOR	SENSETED OF SECELACION		TO FREQUENCY STABILIZATION		TO AMPLITUDE STABILIZATION IN	DON'T REHEMBER WHICH AM STAGE	DETECTORS	IF AMPLIFIERS	LOCAL OSCILLATORS	POWER AMPLIFIERS	AUDIO AMPLIFIERS			Y		1	1 R	7 2		
2	0		TR.	RA	NS	AND	2 6	7	מו	:	皇	2		ENT		_	T.	Z		25				ENC		100	→ R	010	א פר ב	c	x •	· (400 151505	5	RA		TR >	TRANSHIT	TRANSHIT		
2	1		S	S	1	-			303		2	3		P		-	00	_	2	0	2 -			7 5		S	343	S	Ξ	138	2	9		-	N N		S	=	=		
100	3		=	7	0 2	2	2	7 6	7 4 6		=	77	1	SHL		9 4 11	ENC	Z	210	510	3	2 5	2	AB		T A B	181		E R S	5	=	= :		2	7		7	0	0		
-	ERS		20	2	RE	7		4	4 5 7		-	3	1	1		70	531	7	08	=	7 7	2 2		בו		Ξ	Z.			TOR	R	R	,	^	7						
-			REC.	338	133		, ,		316		SYS	6		ROU		-	ī	22	0	2	200	3		TAT		LAT	110			S					233		RECEIVE	RECEIVE	RECEIVE		
3	0		-	-	Æ	·	~		4	,	E	3	ì	1		20	R	30	Z		2		200	0 0		0	>								V 1.7		- V	3			
				_							2	3	•	I		2	E .		-		•	, ,	n	z		ž	S								•				5 Y S 1		
1																	ER:								-		1941												SYSTEMS		
											1						•		-						1		•												•		
			30	24	32	36				:	23	,		21		17	24	26	4	25	- :	200	3.	-		-	•	1	33	34	32	36	- 1	5	30		21	32	32	151	
											1																													- 5	
0			30	23	-	-		- 6		:	=	2		-		8	25	27	•	25	- 0	1	9	6		•	7	33	33	34	32	36		-	90		27	32	32	125	
2	3 5		35	30	35				, ,	;	35	0	36	20		ŗ	-	2	0	20	5 6	200	20	15		0	5	30	30	30	3 0	30	5	25	30		0	30	30	153	
	32		30	24	2					;	32			- 9		10	25	24		22		24	7.	-		-6	7	30	30	32	30	3 4	5	29	24		26	30	29	154	
																~	~	~						_		_								_	2		~			155	
U	30		25	25	25	•	5		0	,	30	5	2	30		20	20	25	5	20	20	2 6	r	5		5	0	30	30	30	25	30	100	10	25	•	25	5	25	A.U.	
								N																																	
								EM SYSTEMS																																	
							1	7			-																														
							•	S			- 1																														

30
×
S
u
(1)
4.1
-
35
4
>
1
YES
>
-
3
Z
0
RESPOND
0
0
"
·
5
3
37
-
-

GPSUM7 PAGE 25

TASK GROUP SUMMARY PERCENT MEMBENS PERFORMING

SPC SPC SPC 152 153 154 155	1 31 35 29 25	29 35	31 30 28 3	29 35 26		31 30 28	19 25 18		2 31 35 30 25	1 10 5 11 5	4		5 7	7 5	12 10 11	9 5	11 12 13	01 9 10	12 0 13 5		- Constitution of the last	27 45 26 3	30	01 91 57 /1	16 20 16 10 LOGIC FUNCTIONS	16 25 16		5 16 20 16 5	30 37 30		3 20 20 18 20		20 25 16 20		21 20 18 20	27 35 2	26 30 24 2	27 30 25 2	
5PC 151	3.1	30	30	30	32	30	20		32	10	-			,	12		- 2	•			8	52		œ	1.7		-	-			20		2.1		2	2.2	27	27	
N2-15K	R 678 K2-11 DO YOU PERFORM TASKS ON DRIVERS (INTERMEDIATE	KZ-12 DO TOU PERFORM	678 KZ-13 DO YOU PERFORM TASKS ON AF AMPLIFI	X2-14 DO YOU PERFORM TASKS ON	-80 K2-15 DU TOU PERFORM TASKS ON	K BB KATE DO TOU PERFORM TASKS ON ERFOUNCY DISCRIMINATORS	KZ-18 DO TOU TRACE SIGNALS OR	SCHENATIC DIAGRAMS OF FH TRAN	A 684 M2-19 DO YOU TRACE SIGNALS OR CURRENT PATHS THROUGH	K 685 K3-01 DO YOU CONVERT DECIMAL (BASE 10) NUMBERS TO OCTAL	THASE BY NUMBERS	SENERON	K3-03 DO YOU CONVERT OCTAL NUMBERS TO	K3-04 DO YOU CONVERT	x3-05 00 100 CON	690 x3-06 00 YOU	1 × 3-07 00 100	647	X 893 K3-09 DO YOU SUBTRACT RIMANY NUMBERS USING THE DIRECT	SUBTRACTION METHOD	094 x3-10 00 YOU ADD OCIAL	L1-01 IN YOUR	RELATING TO LOGIC FUNCTIONS	L 846 [1-02 DG TOU CONSTRUCT TRUTH TABLES FOR AND LOGIC STREOLS	L 097 LI-US DO YOU CONSTRUCT TRUTH TABLES FOR UR LOGIC STHBOLS	OR GATES	SYMBOLS WITH STATE INDICATORS		STMBOLS ON GATES	STATES OF STATES		STMBOLS ON GATES	YOU USE OR HEFER	LOGIC SYMBOLS WITH STATE INDICATORS	200		704 LI*11 DO YOU USE ON REFER TO LOGIC SYMBOLS FOR	LIMIT OF TOU USE OR REFER TO LOGIC STRBOLS FOR	53.179

TASK GROUP SUMMARY PERCENT MEMBERS PERFORMING

	20	-	5	-	15	13; L2-24 DO YOU TRACE DATA FLOW THROUGH COMPLEMENTING FLIP-	
	20	5.	v v	5.	==	L 729 L2-22 DO YOU HEASURE OUTPUT WAVESHAPLS OF LOGIC CIRCUITS L 730 L2-23 DO YOU TRACE DATA FLOW THROUGH COMPLEMENTED FLIP-FLOP	
	5	17	s	-	;	L 728 L2-21 DO YOU USE OR REFER TO COMPLEMENTING FLIP-FLOP LOGIC	
	-	17	s	- 8	17	L2-20 DO YOU USE OR REFER TO	
	15.	-	5	17	-	L2-19 DO YOU USE OR REFER TO FLIP-FLUP	ر ۲
	20	- &	ۍ	2	-	L 725 LZ-18 DO YOU USE OR REFER TO FLIP-FLOP CIRCUIT DIAGRAMS	۲ 7
	20	20	5	21	20	L 124 L2-17 DO YOU USE OR REFER TO SINGLE-SHOT MULTIVIBRATOR	
	20	- 9	s	12	20	L 723 LZ-16 DO YOU USE OR REFER TO FLIP-FLOP MULTIVIBRATOR	
						HULTIVIBRATORS	
	20	20	5 1	2	20	722 L2-15 DO YOU WORK WITH	
	20	- -	r	2	•	TOTAL TO YOU WORK WITH BISTABLE (FLIP-FLOP) MULTIVIBRATORS	
	20	20	v	21	20	L 720 L2-13 DO YOU WORK WITH ASTABLE (FREE RUNNING)	
	10	=	a	:	12	L 719 L2-12 DO TOU TRACE DATA FLOW THROUGH PARALLEL FULL ADDER	
						HALF	
	ر.	7	0	0	7	TIB L2-11 DO TOU COMPUTE SUM AND CAMRY EXPRESSIONS FOR SENIAL	
	<u>-</u>	-	0	1.8	1.7	L 717 L2-10 DO YOU USE OR REFER TO LOGIC DIAGRAMS CONSISTING OF	
	,			:		LOGIC (CML) CIRCUITS	
	ur.	-	0	=	10	COUPLED TRANSISTOR LOGIC	
	5	15	0	16	15	YOU USE OR HEFER	
	ď		0		•	ALGERRA ALGEBRA	
		,	,		,	PHOCESS	
	5	•	0	•	•	713 L2-06 DO YOU	
	10	-	-	-	-	L 712 L2-05 DO TOU HEASURE INPUTS OR DUTPUTS OF LOGIC GATES	
	s	œ	0	o o	,	L 711 L2-04 DO YOU GRAM LOGIC DIAGRAMS FROM GIVEN BOOLEAN	
	s	•	o	4	90	L 710 L2-03 DO YOU CONSTRUCT TRUTH TEBLES FOR CURRENT MODE LOGIC	
EQUALIONS	,			;		,	
BOOLEAN	r	•	0	10	•		
	20	=	v	-	-	L 702 L2-01 IN YOUR PRESENT JOB: DO YOU PERFORM ANY TASKS RELOGIC BLAGRAMS: OR LOGIC	
	25	23	25	25	25	L 707 LI-13 DO YOU USE ON REFEM TO LUGIC SYMBOLS FOR EXCLUSIVE	۲ ،
	155	154	153	152	151	W51-10	

TASK GROUP SUMMARY PLACENT MEMBERS PERFORMING

		COUNTERS																														TIMING CIRCUITS	
155	30	10	0.4	. 5	10	10	0	0	15		0	s	u	n	S		n	2		n		2	5		n	ຜ	20		08	09	55	0.	
154	25	17	-	•	9	8	9 .	•	30		•	1.2	-	2	13	:		=		=		•	=		•	13	13		75	50	09	15	
153	30	15	0 0		15	- 2	5	•	20		0	10	-	2	1.0	c	,	01		n		S	0		0	s	10		50	9 2	70	5.5	
5PC 152	28	20	4 7		18	50	0	0	20		9	-	-	2	15	,	•		:	-		=	2		,	13	*	-	15	20	20	15	
5 P C	2 H 7	13	5 1	8	1.8	1 6	8		20		2	12	:	-	7	-	0	13		1.2		0	=	:	0	12	7	-	16	63	09	S	
07-75K	733 L3-01 00 TOU MORK WITH DIGITA	L 735 L3-03 DO YOU USE OR REFER TO DOWN-COUNTERS L 736 L3-04 DO YOU USE OR PEFER TO SERIAL COUNTERS	737 13-05 30 YOU USE OR REFER TO	739 L3-07 DO YOU USE OR REFER TO	740 L3-08 DO TOU USE OR REFER TO	741 L3-09 DO TOU USE OR REFER TO	742 L3-10 DO TOU USE OR REFER TO UP CLOCKS	UP-COUNT	L 744 [3-12 DO YOU TRACE DATA FLOW TAROUGH LOGIC DIAGRAMS OF SERIAL UP- OR DOMN-COUNTERS HAVING COMPLEMENTING FLIP-	FLOPS	4	0	RING COUNTERS	SERIAL	L 748 L3-16 DO TOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF	SHIFT REGISTERS	OTHER TYPE OF COUNTRRY	0	9 535 Jud	PULSES FOR SERIAL UP" OR DOWN-COUNTERS HAVING COMPLEMENT	ING FLI	L 752 L3-20 DO TOU COMPUTE THE BINARY COUNT AFTER SPECIFIC INPUT PULSES FOR SERIAL UP-COUNTERS FEEDING A PARALLEL STORAGE	wo	PULSES	DECADE C	-23 DO TOU DETERHINE	L 756 L3-24 DO YOU DETERMINE THE APPROPRIATE AND GATE MECESSARY	IN COUNT DETECT CINCUL	MI-01 00	758 MI = 02 00 100 #07K #17H	00 ED=11 657	M /ALL MITTOUT OF YOU HOPK WITH PULSED USCILLATORS WITHOUT	Y

SPC SPC SPC SPC SPC

PERCE T HEMBERS PERFORMING

DY-TSK

		0	3 3	50	15	15	HI-15 DO YOU PERFORM ANY TASKS ON	* 75
		,		20	20	30	ייי שלייי שליייי שליייי שליייי שליייי שלייייי שלייייי שלייייי שליייייי שליייייייי	
		35	2	20	24	74	791 HJ-13 DO YOU PERCORN ANY TASKS ON	
		30	20	35	30	30	190 H3-12 DO YOU PERFORM ANY TASKS ON	
		0	20	25	-	20	PERFORM ANY TASKS ON	
		0	-	20	-	-	DO YOU PERFORM ANY	
		5	5	5	15	15	DO YOU PERFORM ANY TASKS ON	H 72
		*	25	30	28	28	H3-08 DO YOU TROUBLES	H 70
							ECTIONS OF MOTORS	
		4	38	60	42	ţ	DO YOU THOUBLE SHOOT AS F.	n 78
		40	24	30	21	21	-3-66 DO YOU REMOVE OR REPLACE	H 78
		45	30	•	42	£,	DO 400	
		*	30	55	0	-	-3-04 DO YOU OPERATE MOTORS	
		45	39	60	4 3		-3-03 DO YOU	H 76
TORS	GENERATORS	*5	9 6	60	4	4	M 780 M3-02 DO YOU INSPECT MOTORS	H 76
AND	MOTORS							
				5	;		WITH ALTERNATING CURRENT OR DIRECT CURRENT MOTORS	
	-	*5	38	5	4	45	1770 13-01 IN YOUR PRESENT JOBS DO YOU PERFORM ANY TASKS DEALING	1
		2	,			9	GENERATORS	
		,		2	2	5	778 42-10 00 YOU USE OTHER SPECIAL PURPOSE	
		5	30	0	28	27	777 #2-09 DO YOU USE	
		*	4	00	37	36	350 NOA OO	
							AS SQUARE WAVE, TRIANGLE, PULSE, OR SPIKE	
		35	30	25	37	36	OLONA 350	
		65	•	80	65	67	320 00 40-54 HT	
							COMPONENT WE	
		70	53	55	55	55	H 173 H2-05 DO YOU TROUBLESHOOT TO THE SMALLEST REPLACEABLE	
							WHILE USING SIGNAL GENERATORS	
		75	57	55	5 9	5.0	H 772 H2-04 DO YOU TROUBLESHOOT TO AN ASSEMBLY OR SUBASSEMBLY	
							GENERATORS.	
TORS	GENERA					;	ADJUSTING ALIGNING OR CALIBRATING WHILE US	
USE OF SIGNAL	USE OF	65	64	50	•	6	H 77: H2-03 DO YOU PERFORM PERSONS HAINTENANCE SUCH AS	
		,				,	Gr Enna Tons	
		75	70	80	74	75	02 DO YOU PERFORM OPERATIONAL CHECKS WHILE USING	
		4	4	80	1	75	169 ×	- 1
				-			MANTEDOMS	
		-		-		£ .	OO REFER	7
		15	0.5	4	• 5	•	TO THE TOO TOO ONE ON REFER TO LINEAR SCOTE OF MARIOUTH	
		;		;			TAVETORIS	
			0		00	90		
							STATE OF THE PROPERTY OF THE P	_
		65	58	45	59	58	H TOS MI-OF DO TOU USE ON MEFER TO ELECTRICAL LENGTH OF SANTOUTH	*
		80	72	75	71	71	HI-DE DO YOU USE OR REFER TO	
		75	00	15	66	67	763 #1-07 DO YOU USE OR REFER TO F	
		65	63	65	62	62	#1-06 DO YOU USE ON REFER TO	
		65	68	28	65	61	701 MI-05 DO	,

PCT MAHS RESPONDING TEST BY SELECTED GAPS

GPSUM7 PAGE 29

TASK GROUP SUMMANY PERCENT MEMBERS PERFORMING

																	METER MOVEMENTS									SATURABLE REACTO	AND MAGNETIC						
5 P.C.	01	10	S	50	20	01	70	n n	S	'n	0	0	c		80	52		00	30	8 5	2	2 4	0 1	n z	0	0	C		0	2	5	0	
5 P C	1.3	. 3	-	32	52	9 !	707		11	•	1	10			7.8	27		11	70	80	36	0 0		50.00	ď	*	7		•	*	2	~	
SPC	07	20	5 !	\$	30	01	30	0 4	0 !	'n	0	s	c	,	9.6	15		0	1.5	6.5	52		0 1	U 1	'n	S	0		0	n	s	0	
5PC 152	-	-	=	33	27	0	53	0 00	10	æ	0	•	•		00	30	00	4.4	54	9	33	0 g	0 .	2 4	•	7	1			*	7	3	
5PC 151		1.5	=	34	27	5 1	7	o- 00	10	1	•	20	4	•	82	28		48	54	85	33	* 4		5.5	•	,	,		•	7	7	-	
01-15K	H 794 H3-10 DO YOU DETERMINE OR HEASURE THE MAGNITUDE OF THE FORCE OR TOROUT CREATED BY A MOTOR	H 795 M3-17 DO YOU DETERNINE OF HESSURE THE DIRECTION OF THE MECHANICAL FORE OF TREDUCE CHEATED BY A MOTOR	H 795 H3-18 DO YOU DETERMINE OF HEASURE THE MAGNITUDE	797 M	798 M3-20 DO YOU WORK	799 M3-21 DO 70U	900 H3-55 DO 100	M 801 MJ-23 DO TOU INSPECT GENERATORS M 802 MJ-24 DO TOU CLEAN OF LUBRICATE GENERATORS	BOB M3-25 DO TOU OPERATE GENERATORS	804 M3-26 DO 700	805 43-27 00 YOU		A 307 A3=29 DO TOU TROUBLE SHOOT COMPONENT PARTS OF	GENERATORS	N 408 NI-01 DO YOU WORK WITH METERS IN YOUR PRESENT JOB	N 809 NI-02 DO YOU CONCEPTUALIZE OR CONSIDER THE FUNCTIONS OF	PERMANENT MAGNETS	מינים ליינים ליי	N BIL NI-04 DO YOU CONCEPTUALIZE OR CONSIDER THE FUNCTIONS OF	NI-US DO YOU READ METER SCALES	613 NI-06 DO YOU	THE STATE OF THE S	2 .	N SI N NI-10 DO YOU USE OR REFER TO VOITHETER SENSITIVITY	 N 818 NZ-01 DO YOU WORK WITH SATURABLE REACTORS OR HAGNETIC	N 819 NZ-02 DO YOU INSPECT MAGNETIC AMPLIFIERS OR SATURABLE	REACTORS N MAGNETIC AMPLIFIERS OR SATURABLE	REACTORS	N 821 NZ-04 DO TOU ADJUST MAGNETIC AMPLIFIERS OR SATURABLE	N 822 NZ-05 DO FOU THOUBLESHOOT MAGNETIC AMPLIFIERS OR SATURABLE	REACTORS N 823 NZ-06 DO TOU REMOVE OR MEPLACE MAGNETIC AMPLIFIERS ON	SATURABLE REACTORS A MEPLACE HAGNETIC AMPLIFIER OR TARE MENOVE OR REPLACE HAGNETIC AMPLIFIER OR	SATURABLE REACTOR COMPONENTS

TASK GROUP SUNHARY PERCENT MEMBERS PERFORMING

	0		0	0		C	0	0	c	0	=	2		2		Z	Z	2		z	z	z	z	,	1			z	z		2		2		2		2			2	,			
	852		150	950		449	848		9 4 6	945		643		2,00		04				. 638	, 837		835	2 034		. 633		032	1		. #30		. 629		628		130			024				
	0			0								٠ ۲																																
COMPONENTS	01-08 00	SYSTEMS	1-07 DO YOU	01-06 00	SYSTEMS	61-05 00	01-04 00	01-03 00	OL-02 DO	01-01 00	944 MJ-11 00	N3-10 DO YOU	AND OUTPUT CONFIGURATION	DIFFERENTIATING OR INTEGRATING BASED ON THE TIME CONSTANT	CONSTANTS (1C) AS LONG. REDICH, ON SHORT	13-08 DO TOU USE OR REFER TO THE CLASSIFICATION OF TIME	N3-07 00	N3-06 00	PRF	43-05 DO	N3-04 DO	43-03 DO	NJ-02 DO	NJ-01 DO TOU WORK WITH WAVESHAPING CIRCUITS IN YOUR PRESENT	CTOBETE	NZ-16 DO YOU USE OR HEFER TO SATURABLE REACTOR SCHEMATIC	SATURABLE HEACTORS	N2-15 DO YOU USE OR	TATION TO USE OR REFER TO FLUX DENSITY IN VATORABLE	SATURABLE REACTORS	12-13 DO YOU USE OR REFER TO RESIDUAL HAGNETISM IN	REACTORS	NA-12 DO YOU USE ON REFER TO COERCIVE FORCE IN SATURABLE	# A V F F D	AZELL DO TOU INTERPRET SCHEMATIC DRIWINGS TO DEVELOP OUTPUT	BEACTORS OF LOAD RESISTORS OF STREET WINDING SATURABLE	MATERIAL DO TO THE ASSURE OF THE WASTE DATE ACTIONS AND ACTIONS	SINGLE WINDING SATURABLE REACTORS	MAVEFORMS ACROSS REACTOR WINDINGS OR LOAD RESISTORS OF	NA-09 DO TOU INTERPRET SCHEMATIC DRAWINGS TO DEVELOP OUTPUT	N2-08 DO			
E	0	S	7	0								0	9	7	\ V	0		0						0	1	0	378	0 7		378	0 4	S	0	R 1	7	0 6	2		RIS	0	0			
S	00		_	-			You		100	00	00	00	7;	-	-	00		100		100	100	100		00	1	00	E.	00	C	RE	00		0	F 0	0	2	200	2	AC	0	00			
	YOU REMOVE OR REPLACE		REMOVE OR REPLACE SSB THANSMIT OR RECEIVE	TROUBLESHOOT TO SEB TRANSMIT OR RECEIVE		THOUBLESHOOT TO SSB TRANSMIT OR RECEIVE	ALIGN SSB TRANSMIT OR RECEIVE SYSTEMS	CLEAN SSB TRANSMIT OR RECEIVE SYSTEMS	INSPECT SSB TRANSHIT OR RECEIVE SYSTEMS	TOU WORK ON SINGLE SIDEBAND SYSTEMS IN YOUR	YOU WORK WITH RECTANGULAR WAVE GENERATORS	WORK WITH SQUARE WAVE GENERATORS	0 2 6 6	7 6 7 6 7	CAN	USE OF	USE OR	USE OR REFER TO DIFFERENTIATING CIRCUITS		USE OR			NO 350	WORK V	-	USE OF	ACTOR	10 350	10 350	ACTORS	USE OF		USE 01		NT R	LOAD	E A SU	NG SA	ROSS	INTER	YOU USE OR REFER TO HYSTERESIS CURVES OR LOOPS			
	OR		0	E SH		E SH	558	BSS	-	z	-	17		- 2		RE	X	R						17 1	-	34		RE	2		RE		R		1	6 3	1	CX	SA 3	BRE 1	~ RE		,	
	RE	,	B	001		1007	I R	TR	8	ING	RE	50	0 0			8 E R	KEFER TO	F E R		REFER	REFER	REFER	HEFER		-	F E R		FER			F E R		7 7		,	9	1	3781	108	25	FER	-	7.15	
	-		5	10		10	SNA	NS	TRA	-	3	LAR		1 2	120	01	10	10		10			10	S 3 A	-	10		10	10		10		70			3	0 -	2	1	HBH	70	,	•	
	2		6	55		\$ 5	=	=	Z	510	NGC	M.	-	2 7	1	1	z	0					ī	P		\$		REFER TO POINT OF SATURATION IN	*		RE		6		-	7		ACT	O	1	1			
	88		8 S S	3 7 8		8 7	9	9	=	E B A	AR	VE	2	2	0	2	156	33		35	PULSE	35	NS	NG		CR		Z	×		910		R	000	2	2		R	265	0	STE			
	SSB TRANSMIT OR RECEIVE		T X	ANS		SNA	REC	REC	Ž	0		439	ć	7	,	A	INTEGRALING CINCOLTS	E Z		PULSE RECURRENCE FREQUENCY	RECURRENCE TIME (PRT)	PULSE WIOTH (PW)	THANSIENT INTERVALS	CIR		181		ç	2		1	,	¥	1		2	3		0,0	-	183			
	HSH		Z	-		-	FIV	F 1 4	ECE	YST	3	ERA		2 7	2	7	2	-		CRR	CRE	1	-	100		RE		SAT	1				NO N	-	SON	-			60	MES	5			
	=		=	0.8		O.R	S	5	3 1	SHE	BN8	TOR	3	, בין היים היים	,	CAT	2	Ne		ENO.	ENC	PE	TER	15	1	Č		C Z	-		NET	1	5		10	2	2 0		70	10	CRV			
	R		x	RE	•	RE	124	151	SY	=	RAT	S		12		ON	100	2			E -	-	¥ > -	z		2		110	*	,	154		ž	,	2	6	, ,		153	30	53			
	3038		303	3		5	SE	SHE	516	10	ORS		,	5		9	5	CO		REQ	HE		5	4001	1	HOS		z =	CX		- z		5 1	;					510	134	2			
	341		- VE	r		ě			Š	Ä			-	2		=		5		PENC	P			P		2		•	196				B		•				25	9	000			
														7 4 4 7		3					=======================================	-		ESENT		21.0			•			1	3		TPUT	÷)F	DUTPUT	š			
	٠		•	•		•	•	•	•		39	55		•	:	*	68	66		51	47	66	40	70		u		_			•		_								5	151	SPC	
	,		•	,		•	•	•	,	30	0	5 6			:	47	•	00		52	8	65	42	69					4				.				J				5	,,,	SPC	
	0		0	0		0	0	0	0	0	25	35		23	;	35		70		45	6	75	20	80		0		0	0		0		0		•		U	,		5	0		245	
	•		,			7	,	,	•	•	38	5 4			:	47	0.4	6.3		4 9	54	63	45	60		2		~	2		2	,	~		-		v			•	w		SPC	
	0		o	0		0	0	c	c	10	35	65		30	;	35	65	65		65	55	70	30	75		0		0	c		0		c		0		0	:		c	0		245	
						SYSTEMS	STAPLE STREBAND	CINCLE SIDERAND													CINCOLLA	CIRCUITS	HAVESHARING																					
																									1																			

PCT MERS RESPONDING TEST BY SELECTED GRPS

TASK GROUP SUMMARY

SPC SPC SPC SPC		x		•	8 0	6 0	0	6	0	•	8 6	0 0	200		0 5	8	7 0 7 0	0 0	0 1 0 7		0 4 0 9		2	15 10 14 10	1	0 7 7 0		10 14 10	13 10 13 10	10	13 10 13 10		10 10 10 8	a 10 7 5		s v v	v v	1 -0	0	
345	1	۰ .	0 4		•	1	^	9	۰	•	•	c	6 7		*	•	•	٠	J	r	•		•	1.5	:	2 2	. ~	13	15	2	13		01	0		æ	ď	2	4	
	853 01-09 DO YOU PERFORM TASKS ON SSB	01-10 DO TOU PERFORM TASKS ON 558	455 DI-11 DO TOU PERFORM TASKS ON 558	O 656 OI-12 DO TOU PERFORM IASKS ON 558 LC FILLERS	01-14 DO 700 PERFORM TASKS ON SSR	859 01-15 DO TOU PERFORM TASKS ON 558	860 01-16 DO TOU PERFORM TASKS ON SSB	841 01-17 DO TOU PERFORM TASKS ON 558	862 01-18 DO TOU PERFORM TASKS UN SSB	463 01-19 DO YOU PERFORM TASKS ON SSB	864 01-20 DO YOU PERFORM TASKS ON 558	865 01-21 DO TOU PERFORM TASKS ON 558	O 866 01-22 DO 700 PERFORM TASKS ON SSB DEMODULATORS IN 867 01-23 DO 700 PERFORM TASKS ON SSB DON'T REMEMBER MHICH SSB	STATE STAGES	368 01-24 DO YOU USE OR		870 01-20 00 YOU USE OR	*	BANDWIDTH FILTERS	0 472 01-24 50 TOU CALCULATE PEAK POWER OR EFFECTIVE FUNER UP 558 THANSMITTERS	O 873 01-29 DO YOU TRACE SIGNALS OR CURNENT PATHS THROUGH SSB	THANSMITTER SCHEMATIC DIAGRAMS	O 874 DIESO DO TOU TRACE SIGNALS OR CURRENT PAINS THROUGH 558	O 875 OC DO YOU WORK ON PULSE MODULATION SYSTEMS IN YOUR	PRESENT	20-05	25-03 00 40-00	279 02-05 DO YOU	680 02-06 DO YOU	COMPONENTS	02-04 00 YOU	COMPONENTS	0 883 02-09 DO YOU MORK ON PULSE-AMPLITUDE MODULATION (PAM)	G 884 GZ-1C DO YOU MORK ON PULSE-DURATION MODULATION (PDM)	SYSTEMS	G 885 52-11 DO YOU WORK ON PULSE-POSITION MODULATION (PPA)	SYSTEMS	MORK ON	488 CZ-14 00 TOU MORK	D.

TASK GROUP SUMMARY

0 914	0 913	0 9	116 0	0 910		909				0 904	0 90		0 40	0 901	0 100		0 49	0 89	0		a a	0 89	0 49			0 692	0 09	0		0 889	
03-01 DO	0	0	0	0	RECURRENCE FREQUENCY (PRF)	02-35 DO YOU	OX-13 DO TOO USE ON REFER TO	OZ-32 DO TOU USE OR REFER TO	02-31 DO YOU USE OR REFER TO	02-30 DO YOU USE OR REFER TO PULSE RECUR!	903 02-29 DO YOU USE OR REFER TO PULSE RECURRENCE FREQUENCY	DON'T REMEMBER WHICH PULSE HODULATION SYSTEM STAGES	YOU ON- 28 DO YOU PERFORM TANKS ON PULSE MODULATION SYSTEM	02-27 DO YOU	VIDEO AMPLIFIERS	DETECTORS	IF AMPLIFIERS TO THE TAPPLIFIERS ON PULSE MODULATION SYSTEM	98 02-24 DO YOU PERFORM TASKS ON PULSE HODULATION SYSTEM	FREDUENCY CONVENTERS	ATTEMPT FIRE WORLD		95 02-21 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM	94 02-20 DO YOU PERFORM TASKS ON PULSE HODULATION SYSTEM	SWITCHES SUCH AS GAS THYRATRONS	TIMERS	02-18 DO	SKS ON	CHARGING CHOKES AND CHARGING DIODES	POWER SUPPLIES	89 02-15 DD YOU PERFORM TASKS ON PULSE MODULATION SYSTEM	DY=TSK
- ~	12	•		00	•		; =			10	10		u	=	-		:	12	10	; :	=	,				10	7	,		-2	151
	ະ	٠	•	•		, :		: ;	: :	=	=		.	=	5	;	-	ב		; :	=	7	Œ	J		10	-	•	,	-	152
35	0	10	5	0			5 5		-	0	0		0	10	10		10	-		; ;	-	-	10		,	-	10	ď		10	153
	:	•	7	90		,:			- 2	•	•			1.2	1		-	ב	-	: ;		,	7	u		=	-	•		_	154
20	5	10	a	·		.	rv	10	10	-	10		s.	s			10	5	ď		r	5	v	U		υ ·	v	or.		10	155

GPSUM7 PAGE 33

		DY=15K	5 P C	5 PC	5PC	5 P.C	5 P.C.	
0	116 0	DO YOU CLEAN ANTENNAS	5	*	52	-	20	
۵		00 100	5	5	57	13	50	
0		00 400	13	=	52	0	50	
2.5		00 400	9	15	30	1.2	50	
0		00 400	10	01	10	•	50	
0		00 700	1.5	7	52	=	20	
0		DO YOU REHOVE	10	10	1.5	æ	20	
0		DO YOU USE OR REFER TO TECHNICAL DATA C	x	10	0 1	•	01	
	_	90						
0	624 0		•	60	01	7	10	
		REPRESENTATIONS OF H OR MAGNETIC FIELD LINES						
0	925 0	DETERMI	æ	20	0	•	2	
٥	926 0	REFER TO THE GENERAL RULE THAT	æ	æ	2	no.	'n	
	-	TO THE GENERATOR	1					
0	611 0	03-14 DO 100 USE OR MEFER TO THE GENERAL RULE THAT ANTENNAS	6	20	0 7	,	0	
		THE THE CHIEF THAN A MALF-HAVE ACT AS INDUCTIVE LUADS						
(930	of the Generality of Deep to Tur Consider Bull of that and Enney	10	-	-	9	-	
)		THE CHARLES ON APPEAR A LATE GENERAL ACTE OF DADY	2		2			
		TO THE CENTRAL PROPERTY AND THE PARTY OF THE						
4	(THE STATE OF THE S	-	0	4	•	4	
0 0	910	1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2				. 00	- 5	
0		Avade action of the comment		. 4		ď		
0 0			0 4	0 4	0 3	n 1	2 4	
0 0		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	•	• <		١ ^		
2 :			0 -	0		1	1	
00		TON DOL		n •	2 0	n ~	2 10	
	2				2		,	
9	934 0	03-23 DO TOU MEASURE ELECTHOMAGNETIC INDUCTION FIELDS OF	•	•	2	•	'n	
		ANTENNAS						
2	137 0	03-24 DO TOU USE ON REFER TO THE TERM ELECTROMAGNETIC	æ	0 0	S	1	'n	
3	738	CANDIAL DO YOU MEANURE FURNITHOUSENELL RADIATION	•	•		1	'n	
,)	ANTENNAS						
0	139 0.	REFER TO	•	1	0	•	s	
		IN ANTENNA HADIATION						
2	0 0 1	03-27 DO TOU USE OF RESERVICE TO THE TIME PHASE OF ELECTRIC (E.)	•	•	0	2	s	
10		AND THE ANY OF THE ALTERNATION AND ADDRESS ON THE ART.	,	7	1	x	0	
0		POLARIZED		0		,	2	
-	142 0	3-29 ARE ANY OF THE ANTENNAS YOU NOWN ON CIRCULARLY	9	c	1.5		2	
0	¥43 0	03-30 00 700 MEASURE OR DETERMINE THE POLARITY OF ANTENNAS	1	~	'n	5	0	
0	0 555	DO YOU CONSTRUCT, OH MAKE THE CALCULATIONS	7	1	S	•	2	
		MECESSART TO CONSTRUCT, ANTENNAS OF CORRECT LENGTH FOR						
		JACCIT IL MATELENSINO						

PET HERS HESPONDING YES. BY SELECTED GRPS

PERCENT MEMBERS PERFORMING

DY-TSK

151

5PC SPC

SPC SPC

																											,		_		
P 970	4 969	F 968	P 967	966			P 964	P 963		P 961	P 960	P 959	P 958	P 957	P 756		P 955	P 954				F 953	1			0 949	0 448		0 947	0 946	
DETERMINE THE JAPEDANCE AND LENGTH OF QUARTER - WAVELENGTH	v	•	7	•	TRANSMISSION LINES TO DETERMINE THE TYPE OF TERMINATION		PI-12 DO YOU TROUBLESHOOT TRANSMISSION LINES	70	PI-10 DO YOU WORK WITH	PI-09 DO YOU WORK WITH	PI-08 DO YOU WORK WITH	PI-07 DO YOU WORK WITH TWISTED PAIR TRANSMISSION LINES		0			PI-OU DO YOU REFER TO OR USE SKIN EFFECTS OF HIGH FREQUENCY		WAVEGUIDES AS TRANSMISSION LINES	SCHEEN VECTAGE POWER LINES, STO. DO NOT CONSIDER	CINES TAXABLESION CINES ARE DEFINED TO INCLUDE LEADS		DO YOU	03-38 DO YOU	03-37	OUTS TO THE ON CHIDIRECTIONAL ANTENNAS	0	ELEMENTS SERVING AS REFLECTORS	OU-34 DO THE ANTENNA ARRATS YOU SORK WITH CONTAIN PARASITIC	0	ELEMENTS
Ξ	٠	-	34	1		1,	.	-	6.3	•	30	-	25	21	2	:	7	12				52	5		=		•		-	10	
Ξ	•	15	3			17	45	17	5	4	<u>.</u>	7	25	22	-		15	:				5	0	u	=	-			10	•	
10	15	30	30	25		5	35	25	35	v,	25	25	20	10	5		5	0				.30	0	10	5	-2	7	:	5	5	
ฉ	•	15	38	<u>ي</u>		20	4 9	20	55	=	34	-	28	21	-	:	15	-				55	7		=	•	U	•	•		
5	v	20	30	35		0	35	10	50	10	35	15	15	20	20	3	0	5				50	5	0	5	2	c		15	15	
																				LINES	TRANSMISS 101										

GPSUM7 PAGE 34

GAPS
SELECTED
9
. YES.
PE SPONDING
HERS
-

GPSUMY PAGE 35

SELE	
0	9
, 4E3.	100
HERS RESPONDING TEST BY SELE	TASK GROUP SUMMARY
4634	GROUP
AUR JA	TASK

PI-19 D0 T0U FI-20 D0 T0U FOR PRINCIPLE FOR PRESCRIPTOR FOR PRESCRIPTO	SPC SPC SPC SPC 152 153 154 155	34 25 38 30	8 O 8	17 5 16 15	37 25 38 35		9 5 8 10	7 0 7 5	10 10 9 10	01 01 0 11	13 5 13 5			18 5 18 10	5 22 2		6 10 4 15	3		0 3 5	£ 0			3 1	. 0	5	n 3	• • •	. 0	0 3		
PI-19 DD TOU LOADS USI TO LOADS USI TA LOADS USI TO LOADS	SPC 151	3	œ	-	36	æ	0-	•	10	01	12			13	21	=		,		•	٣	•	, ,	•	•	~		7 17	3	•	e .	
1	DY-75K	-19 DO YOU	472 PI-20 DO Y	973 PI-21 DO Y	974 PI-22 DO TOU USE ON MEFEN TO	975 PI-23 DO Y	974 PI-24 DO YOU USE OR	TRANSHISS	478 PI-26 DO Y	LINES FOR PARTICULAR FREQUENCIES 979 P1-27 DO YOU CONSTRUCT TRANSMISSION LINES	980 PI-28 DO Y	FREGUENC	INCHEASE	981 P1-29 00 TOU WORK	982 PI-30 DO TOU WORK #1TH	983 PI-31 DO YOU NORK WITH TRANSHISSION LINES WHICH ARE	484 PZ-01 DO YOU MORK MITH MAYEGUIDES OR CAVITY RESONATORS	TOUR PRES	986 P2-03 DO Y	987 22-04 50 704	788 PZ-05 DG YOU	484 PZ-06 00 100	991 PZ-DE DO YOU TROUBLESHOOT AAVEGUIDES OR CAVITY	992 PZ-UP DO YOU REMOVE OR INSTALL COMPLETE WAVEGU	993 PZ-10 DO TOU REMOVE OF INSTALL	994 PZ-11 DO TOU REMOVE OR INSTALL	SOA DOES ON YOU REMOVE ON THEIR E	997 PZ-14 DO TOU REMOVE ON INSTALL	998 PZ-15 DO YOU REMOVE OF INSTALL	999 PZ-16 DO YOU HEMOVE OR INSTALL	TOOR P2-17 DO YOU REMOVE OR INSTALL	PICCE PRINT DO YOU USE ON PERENTO "A" WALL OF WAVEGUIDES

TASK GROUP SUMMARY PERCENT MEMBERS PERFORMING

PIUZ4 PZ-41 DO POU DETERMINE THE POSITIONING OF LOOPS IN MANEGUIDES OR CAVITY RESONATORS WITHOUT REFERRING TO TECHNICAL DATA	PID23 P2-40 DO YOU DETERMINE WHERE PROBES SHOULD BE MOUNTED IN WAVEGUIDES OR CAVITY RESONATORS WITHOUT REFERRING TO		PIG21 PZ-38 ARE APERTURES (WINDOWS ON IRISES) USED ON WAVEGUIDES	PIUZO PZ-37 ARE LOOPS USED ON WAVEGUIDES OR CAVITY RESONATORS	PIUIS PA-30 ARE LOW POWER PROBES USED ON WAVEGUIDES OR CAVITY	PIULA P2-35 ARE HIGH POWER PROBES USED ON WAVEGUIDES OR CAVITY	PIUIT PE-34 DO YOU USE OR REFER TO THE SPACE QUADRATURE OF "E" OR	PIULO PZ-33 DO YOU HEASURE THE TIME PHASE OF SES OR SHE LINES IN	IN WAVEGUIDES	PICIA PA-NI DO TOC USE THE RIGHT HAND RULE TO DETERMINE THE	PIUI 3 P2-30 DO TO COMPUTE THE LENGTH OF A WAVEGUIDE FOR SPECIFIC	PIGIS PS-39 ARE YOU CONCERNED WITH THE MATERIAL (SUCH AS BRASS)	WALLS RANGE FROM .2 TO .5 WAVELENGTHS IN SIZE, WITH .35	TO THE GENERAL I	PIULO P2-27 DO YOU USE OR REFER TO THE GENERAL RULE THAT HOST WAVEGUIDES ARE HADE WITH A "B" WALL SIZE OF "7 WAVELENGTHS	PIUGO PZ-26 DO VOU USE ON REFER TO DUPLEXER FIELD BOUNDARY	PIUDE PZ-25 DO TOU USE OR REFER TO MAGNETIC FIELD BOUNDARY	PIGOT PZ-24 DO YOU USE OR REFER TO ELECTRIC FIELD BOUNDARY	PICOS PZ-Z3 DO TOU USE OR REFER TO PUMER-DETERMINING WALL OF	P2-22 DO YOU USE OR REFER TO	PIDOS PREZE DO YOU USE OR RESER TO TUTOSE PRESURVOY OF WAVEGUIDES	DY-75K
	~	-	u u	u	.	~	•	u	<u>.</u>	u	~	u		2	u	u	_	_	L	. .		151
~	~	_	u		~	~		_	.	u	~			~	u	·	u	_	u			152
0	0	0	ۍ.	0	5	0	0	0	0	0	0	·	-	0	c	c	0	0	_U		0	153
~	~	_	u				u	w	ω		2	_		~	·	u		L	u	.		154
v	J.	5	5	5	5	5	5	v	ۍ	5	5	ď	-	5	r	v	5	5	r	J 1	ru	155 155

SARS	
SELECTED	
B W	
1 7 5 5 4	
2210	
RESPONDING	
HERS.	
-	

GPSUM7 PAGE 37

TASK GROUP SUMMANY
PERCENT MEMBERS PERFORMING

			D*=15A	151	5 PC	5PC	154	5 P C	
P1025	a.	DO 401	Z-42 DO YOU DETERMINE THE POSITIONING OR SIZE OF APERTURES IN MAVEGUIDES OR CAVITY RESONATORS MITHOUT REFERRING TO	~	~	0	2	s	
P1026	0.	Z-43 ARE CHOKE	ONE JOINTS USED IN MAVEGUIDES OR CAVITY	•	~	s	7	s	
P1027		ARE X	RESONATIONS TOU ADAK WITH PRANTA ARE NOTATIONS CONTINUES OF IN MAVEGUIDES OR CAVITY DESCANTABLE YOU HAVE	•	~	0	7	S	
P1028		ARE DO	PENSONAL REMEMBER THE KIND OF JOINTS USED IN	~	~	'n	-	01	
P1029		00 YOU	MANEGUIDES OR CAVITY RESONATORS YOU MORK WITH P2-46 DO YOU TUNE CAVITY RESONATORS USING CAPACITIVE TUNING	٦	~	10	•	5	
P1030		00 100	TOU TUNE CAVITY RESONATORS USING INDUCTIVE TUNING	~	•	S	~	S	
P1032	64-74	00 700	DO TOU TUNE CAVITY RESONATORS USING VOLUME TUNING	~ ~	~ ~	00	~ ~	s s	
	THE	ETHOD	THE METHOD OF TUNING						
5000		ATORS	RESONATORS	1	-	0	•	•	
P1034	a	N KON	P3-01 IN YOUR PRESENT JOB DO TOU WORK WITH KLYSTRONS.	•	5	01	5	0.1	
	TRAVE	TRAVELING N	THAVELING MAVE TUBES (TMT), PARAMETRIC AMPLIFIERS, OR						MICROWAVE
P1035	P3-02	00 400	USE OR REFER TO	,	•	0	5	•	OSCILLATORS A
P1036		00 400	USE OR REFER TO	*	2	0	2	2	
P1037	P 3-04	00 400	USE OR REFER TO	*	,	s	*	'n	
P1038	P3-05	00 ,00	USE ON PEFER TO RE LOSSES IN EXTERNAL	*	,	s	,	5	
P1039	P3-06 DO 70U	00 400	USE OR REFER TO PHINCIPLE OF ELECTRON VELOCITY	,	*	s	~	'n	
		HODULATION							
0 - 0	P 3-07	00 400	USE OR REFER TO ELECTRON BUNCHING	* -	,	5	.	.	
P1042	43-64	00 400		, -	• •	0 0	, ,	ה נה	
F1043	63-10	00 700	MORK WITH	r	2	2	2	10	
P1044	p3-11	00 400	WORK RITH	7	~	0	۳.	2	
51014	a	AMPLIFIERS	NORK WITH NONDEGENERATIVE PARAMETRIC	9	-	0	7	S	
P1046	a	00 400	MORK WITH UP-CONVERTER PARAMETHIC AMPLIFIERS	•		0	٩	S	
P1047	p 3-14			~	2	0	٩	5	
6104	63-15			5	S	01	S	10	
2010	0	00,00	-	٠.	n :	0	n u	0 0	
16014	P 3-18	200	THE ALTSTROMS OF THE RECENTION OF	n u	, ,	2 0	n J	9 5	
P1052	61-60				,	00	2	0.0	
. 1010	1.1								
F1054	73-21	00 400	RESOLUTION OF REPLACE COMPLETE XLYSTRON ON THE	n s	n 3	n c	. .	0 0	
61055	\$3-22			, ,		0	, ,		
F1058	p 3-23		INSPECT	~	,	0	5	5	
P1.57	03-24	20 400	CHEAN PARALFILM AND LINES	~ ~	, ,	00	s 4	5	
00	67-64			1	,	0	0	n	

P1087	P1086	P1085	P1084	P1083	P1082	P1081	P1080	P1079	P1078	P1077	P1076	P1075	P1074		P1073	P1072	81071	P10.4	P1069	P1067	P1065	P1004	P1063		P1002	4010	P1000			1454	PC1 X
P3-54 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF REFLEX KLYSTRON CATHODES	USE	OR REFER	OR REFER	OR REFER TO	OR REFER	THE TO THE TOTAL OF THE TRANSPORT OF THE OPERATION PRINCIPLES OF THE TRANSPORT OF THE OPERATION PRINCIPLES OF	THOSTONITY KLYSTROMS CONTROL THE OPERATING PRINCIPLES OF THOSTONITY KLYSTROMS CATHODSS	P3-46 DO TOU USE OR REFER TO THE OPERATING PRINCIPLES OF	P3-45 DO TOU USE OR REFER TO THE OPERATING PRINCIPLES OF	PU-44 DO YOU USE OR HEFER TO THE OPERATING PRINCIPLES OF	P3-43 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF	P3-42 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF	PARALLY KLYSTRONS CATCHER CAIDS	THO-CAVITY KLYSTRONS CATCHER CAVITIES	TOU USF OR	3-39 00 YOU USE OR	PUBLISH DO TOU REMOVE OR REPLACE HAGNETRON COMPONENTS	DO TOU TROUBLE SHOOT MAGNE	DO YOU PERFO	PULLS DO TOU TUNE HAGNETRONS	3-32 DO TOU	PJ-31 DO TOU 14SPECT MAGNETRONS	P3-30 DO TOU REMOVE OR REPLACE PARAMETRIC AMPLIFIER	IFICA CO. C.	PURCH DO YOU REHOVE OR REPLACE COMPLETE TAKAMETRIC	IF IERS	PU-27 DO TOU PERFORM OPERATIONAL CHECKS OF PARAMETRIC	1-34 NO YOU	D7-15K	PERCENT MEMBERS PERFORMING	PLT MARS RESPONDING TEST BY SELECTED GRPS
							L	u u	u	_		u	u			.	~ ~	. ~	2	~ ~	. ~	~	_		. .				-5- 2-8-		
							_	u	u	u	w	w	u		_		~ ~	. ~	~	~ ~	. ~	~							5PC		•
ď	5	5	5	٥	5	·	0	0	0	0	0	0	0	,	0	0	0 0	00	0	0 0	00	0	0		0 0	0	00	•	153		PSUM7
ď	5	u,	5	5	v	v	w	u	u	_	.		u		_		. .		_	. .	٠.		5		u u	•		n	SPC		GPSUM7 PAGE
												1																	- 5		

PCT MARS RESPONDING OTES: BY SELECTED GAPS

SPSUMY PAGE 39

TASK GROUP SUMMARY PERCENT MEMBERS PERFORMING

SPC 5PC 5PC 5PC 5PC	s s r	3 3 0 3 5	3 3 0 3 5	s c o c c	3 3 0 3 5	3 3 0 3 5	s + 0 + 6	S 7 0 7 6		3 3 0	s		3 3 0 6 6	5 7 0 6 7	, , , ,	٠,	2 2 0 3 2	•	2 2 0 3 5	6 0	12 12 10 10 5	14	12 12 10 10 \$	13 13 15 13 5	14 15 13 10
DY-75K	FIUBS P3-55 00 YOU USE OR REFER TO THE OPERATING PRINCIPLES OF REFER ELYSTRON DUPPUT IEADS		PIDTO PAST DO TOU USE OR REFER TO THE OPENATING PRINCIPLES OF	PIDS: PASSED OF TOBES CATHODES PIDS: PASSED OF TOBES OF REFER TO THE OPERATING PRINCIPLES OF	PIGGS P3-59 TO VOU USE TO REFER TO THE OPENATING PRINCIPLES OF	PID93 PJ-60 DO USE OF REFER TO THE OPENATING PRINCIPLES OF	PIGGA P3-61 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF	TRAVELING-WAVE TUBES COLLECTORS P1095 P3-62 DO TOU USE OR REFER TO THE OPERATING PRINCIPLES OF	TRAVELING-WAVE TUBES MAGNETS P109A P3-63 DO TOU USE OR REFER TO THE OPENATING PRINCIPLES OF	THAVELING-MAYE TUBES ATTENUATORS PLUGY PA-64 DO YOU PERFORM TASKS ON PARAMETRIC AMPLIFIER FERRITE	CIRCULATORS PICOR PJ-65 DO YOU PERFORM TASKS ON PARAMETRIC AMPLIFIER SIGNAL	CAVITIES PIOSS PA-66 DO TOU PERFORM TASKS ON PARAMETRIC AMPLIFIER IDLEM		DIDDES DIDDES FOR TASKS ON PARAMETRIC AMPLIFIER FERKITE	4	P3-70 DO YOU PERFORM TASKS ON ANODES	FILES PARTY DO TOU PERFORM TASKS ON AVODE COOLING PINS	P3-73 DO YOU PERFORM TASKS ON HEATER LE	PILON PI-74 OD YOU PERFORM TASKS ON AFSONANT CAVITIES	P3-76 DO YOU PERFORM TASKS	GILLO GI-01 DO YOU USE ON MEREN TO STONAGE MEGISTENS	SI-03 DO YOU USE ON REFER TO	HEGISTERS HEGISTERS HIS GI-04 DO YOU USE ON REFER TO LOGIC STMBOLS OF STORAGE	WILLS OF THE DATA FLOW THROUGH LUGIC DIAGRAMS OF WILL WITH DESIGN LUGIC DIAGRAMS OF	WILLS OF THE OF THE DATA FLOW THROUGH LOGIC DIAGRAMS OF OTHER TYPE OF REGISTERS

DY-15K

151

152

153

154 248

155

DIGITAL TAZD CONVERTERS	CONVERSED OF THE PROPERTY OF T	CONVERTERS	CONVERTERS CONVERTERS COMPARE FUNCTION OF A/D	CONVERTERS	CIRCUITS CIRCUITS	ON VARIABLE TIME ANALOG-TO-DIGITAL (A/D) CONVERTER	TIME ANALOG-TO-DIGITAL (A/D) CONVE	3111	ANALOG-TO-DIGITAL (A/D) CONVERTER CIRCUITS	WILLS GO TO TOU PERFORM HOLD FUNCTION TASKS ON VARIABLE TIME	CITED 03-05 DO YOU PERFORM SAMPLE FUNCTION TASKS ON VARIABLE TIME	RESISTORS RESIST	CONVERTERS IS DETERMINED BY ADDING THE DENON	WILZE STATES OF REFER TO THE GENERAL RULE THAT THE	CONVERTERS: OR BINARY-TO-DECIMAL READOUT CONVERTERS G1127 G3-02 DO YOU COMPUTE OUTPUT VOLTAGES FOR GIVEN INPUT DIGITAL-TO-ANALOG (D/A) CONVERTERS FOR GIVEN INPUT		DO YOU USE OR KEFER	CI123 2-07 DO YOU USE OR REFER TO WORD CAPACITY OF MEMORY	22-06 DO YOU USE OR REFER TO	22-05 DO YOU USE ON REFER TO MAGNETIC	CITED DE TOU DE TOU DE ON REFER TO MAGNETIC DRUMS	22-02 DO YOU USE OR REFER TO	STORAGE DEVICES IN YOUR PRESENT JOB	GI-07 DO YOU DETERMINE THE STATE OF LACH FLIP-FLOP OF A SHIFT REGISTER AFTER A SPECIFIED NUMBER OF SHIFT PULSES HAVE PASSED
		•	,	,	7			•	•	7	,	7		•	•	-	•	•	•	7	• •	20	2	=
																1								
		,	,	,	7	~			,	,	,	•		,	•	10	•	•	0	- 6	,,	. 21	-	=
		,	7 10	7 10	7 10	2			,	7 5	7 5	8		7 5	•		•	8		A 1	0 0	21 10	2	
		,	7 10 5	7 10 5	7 10 5	اد د د			7 0 5	7 5 5	7 5 5	0 5		7 5 5	•	0	0				000	21 10 16		-5
		, ,	7 10 5 5	7 10 5 5	7 10 5 5	2 5 2 0						8 0 5 5				0 9	0				7 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	. •	à	15 12

PCT MARS RESPONDING TEST BY SELECTED GRPS

GPSUM7 PAGE 41

TASK GROUP SUMMARY PERCENT MEMBERS PEHFORMING

PHANTASTRONS			SCHMITT TRIGGERS			CABLE FABRICATION		INPUT/OUTPUT DEVICES		PHOTO SENSITIVE DEVICES	THE RESIDENCE OF THE PROPERTY		SYNCHBONOUS VIBRATIONS	(CHOPPER CIRCUITS)									INFRARED								
5 P C 155	2	30	20	15	35	50	10	1.0	s	30	20	15	2 :	2 2	-5	10		0	01	5	•	2	•	S	S	3	4	^	0	0	
SPC 154	~	34	2.1	92	# 5	5.8	23	•	•	50	15	01	•	. ~	=	Ξ	:	2	1.2	-	~	-	-	-	-	-		-	2	2	
5 PC	0	35	1.5	15	0.4	65	20	10	0	4.5	15	0	n c	o •	•	1.5		r	5 1	0	0	0	0	0	0	0	0	0	0	0	
5PC 152	~	35	28	25	7	56	12	1	S	4.6	15	-	x 0 0	• •	12	12	:	2 :	12	3	~	7	7	7	-	-		-	-	~	
5PC 151	7	35	11	54	45	27	2.1	•	•	2	15	10	so :	• ~	=	12		7	12	3	•	. ~	2	~	-	-		-	-	2	
DY-TSK	ALINO RITOL DO TOU MORK WITH PHANTASTRON CIRCUITAY IN YOUR	KINAL RE-OIL IN YOUR PRESENT JOB DO YOU MORK WITH SCHMITT TRIGGER	HILMS RE-UZ DO YOU TRACE DATA FLOW THROUGH SCHMITT TRIGGER	HILMS RETORS DO YOU USE ON REFER TO SCHMITT TRIGGER LUGIC SYMBOLS		CAULES CA	SILMS SI-UL IN YOUR PRESENT JOB DO YOU PERFORM ANY TASKS ON	VISUAL READOUT SYSTEMS SILMY S1-32 DG YOU PERFORM ANY TASKS ON NIXIE LIGHTS OF NIXIE	LIGHT DECODER SYSTEMS SILMB SI-03 DO YOU ANALYZE NIXIE LIGHT DECODER SYSTEMS USING	ALTHOUGH ALGEBRA	YOU WORK WITH CHOPPER	S3-02 DO YOU MEASURE E	SJ-03 DO YOU MEASURE VOLTAGE	SILSS STAND DO TOO USE OR REFER TO EXCITATION TREMUENCESS	SIISS ST-U6 DO YOU USE SERVOS IN CONJUNCTION WITH CHUPPER	SIISS 53-07 DO YOU USE DETECTORS IN CONJUNCTION MITH CHOPPER	CIRCUIT	SA-UB DO TOU USE ERROR STORAL DEVICES IN CONJUNCTION CHOPPER CINCUIT OPERATION	SILSB 53-09 DO TOU USE COMPARISON CIRCUITS IN CONJUNCTION AITH	TIIS9 TI-01 DOES YOUR PRESENT JOB INVOLVE ANY TASKS DEALING WITH	INFRAMED SYSTEMS	TI-OB ON YOU CLEAN INCHARES SY	11-04 00 TOU ADJUST 0	TI-05 DO TOU OPERATE INFRANED SYSTEMS	TILES TI-DE DO YOU TROUBLESHOOT AIRE CONNECTIONS OF INFRARED	TILES TI-07 ON YOU TROUBLESHOOT MAJON ASSEMBLIES OF INFRARED	SYSTEMS	COMPONENT PARTS	TILLAT TI-09 DO YOU REMOVE OF HEPLACE MAJOR ASSEMBLIES OF	INFRARED SYSTEMS TILGE TI-TO DO YOU REMOVE OR REPLACE INFRARED SYSTEM	

-

YOU USE OR REFER TO STIMULATED EN YOU USE OR REFER TO COHERENCE OR YOU USE OR REFER TO HONOCHROMAT! YOU WORK WITH ACTIVE MATERIALS YOU WORK WITH PUMPING SOURCES YOU WORK WITH FULL SILVERED !!!!!	SYSTEMS YOU REMOVE OR REPLAC SYSTEMS YOU USE OR REFER TO 12-12 DO YOU USE OR REFER TO 12-13 DO YOU USE OR REFER TO 12-14 DO YOU USE OR REFER TO 12-15 DO YOU USE OR REFER TO 12-16 DO YOU USE OR REFER TO	TZ-01 DOES TOUR PRESENT JOB LASERS TZ-02 DO TOU INSPECT LASER TZ-03 DO TOU CLEAN LASER SY TZ-04 DO TOU OPERATE LASER TZ-05 DO TOU OPERATE LASER TZ-06 DO TOU TROUBLESHOOT H LASER SYSTEMS TZ-07 DO TOU TROUBLESHOOT H SYSTEMS	TIILS TI-II DO YOU USE OR REFER TO INTERHEDIATE REGION TIITO TI-I2 DO YOU USE OR REFER TO NEAR REGION TIITO TI-I3 DO YOU USE OR REFER TO NEAR REGION TIITO TI-I4 DO YOU USE OR REFER TO MICRON TIITO TI-I4 DO YOU USE OR REFER TO GAAY HODIES TIITO TI-I5 DO YOU USE OR REFER TO BLOCK BUDIES TIITO TI-I8 DO YOU USE OR REFER TO BLOCK BUDIES TIITO TI-I9 DO YOU USE OR REFER TO ABSORPTION TIITO TI-I9 DO YOU USE OR REFER TO ABSORUTE ZERO TIITO TI-20 DO YOU PERFORM TASKS ON FILTZ TIITO TI-21 DO YOU PERFORM TASKS ON FICTERS TIIBO TI-23 DO YOU PERFORM TASKS ON COLAR LENSES TIIBO TI-24 DO YOU PERFORM TASKS ON COLAR LENSES TIIBO TI-25 DO YOU PERFORM TASKS ON COLAR LENSES TIIBO TI-26 DO YOU PERFORM TASKS ON COLAR LENSES TIIBO TI-27 DO YOU PERFORM TASKS ON SPHERICAL MIRRORS TIIBO TI-28 DO YOU PERFORM TASKS ON SPHERICAL MIRRORS	TASK GROUP SUMMARY PERCENT MEMBERS PERFORMING DY-TSK
0	0 0	0 0 4	-0100000-5	SPC
00	a o	0 0 4	-0200000	5PC
000000	0000000 0 0	0 0 00000 0	••••••	SPC
		NN-N N		- SPC
000000	00000000	0 6 60660 0		55 C
		LASERS		

PCT MARS RESPONDING TEST BY SELECTED GRPS


GPSUM7 PAGE 43

TASK GROUP SUMMANY PENCENT MEMBERS PERFORMING

5PC SPC SPC SPC SPC 151 154 155	0 1 0 1 1			1 0 0	000	, ,		0 0 0			0:	 .	000	-		•	0 1 0 1 1			0 0 0	0 0 0	0 0 0		3 0 2		 	0	0 0	0 2				-		-0
D1-15k	TIZIO 12-25 DO TOU MORK WITH MALF SILVERED (928 REFLECTIVE)	YOU HORK MITH	12-28 DO YOU WORK	12-24 DO YOU WORK WITH	11215 12-30 00 YOU WORK WITH KENON	12-32 00 YOU WORK WITH	17-33 00	TICLS 12-34 DO YOU ADRE NITH GALLIUM ARSENIDE	SUCH AS	STORAGE	13-02	13-03	TIZZY TJ-05 DO YOU OPERATE SYSTEMS THAT CONTAIN DVST OR MMST	11225 13-66 DO YOU TROUBLESHOOT DVST OR MMST	CIRCUITS CIRCUI		TILZZ7 T3-08 DO YOU PERFORM TASKS THAT MAKE IT NECESSARY TO NAME	THE VARIOUS ELEMENTS OF DVST	THE VARIOUS CLAMENTS OF MACE IN MECCASSARY TO MAKE	TIZ29 T3-10 DO YOU PERFORM TASKS ON FLOOD GUNS		T3-12 DO YOU PERFORM TASKS ON	11232 13-13 DO TOU PERFORM TASKS ON ERASE GUNS	UI-OI IN TOUR PAESENT JOB . DO	TASKS	1-04 00 YOU USE OR REFER TO	U1-05 00 700 USE ON REFER TO	UI-OA DO YOU USE OR REFER TO	U1-U7 DO TOU USE ON REFER TO	00 100 USE OR REFER TO	UZ43 UT-10 DO YOU USE ON REFER TO ACCRESS MORUS	LI-II DO TOU USE OR REFER	UI-12 DO YOU USE OR REFER	YOU USE ON PEFER TO I	

TASK GROUP SUNHARY PERCENT MEMBERS PERFORMING

				1						
01258	01257	01256	01755	01454	01253	25710	15210	01250	01240	
U1258 L2-04 DUMMY TASK TO IDENTIFY INCUMBENTS WHO PERFORMED NO TASKS	ULZS7 UZ-03 DO YOU USE LOGARITHMS TO COMPUTE ATTENUATION IN	DECIRELS	UI255 U2-01 DO YOU USE DECIBELS TO EXPRESS AMPLIFICATION AND	U1454 U1-21 DO YOU PERFORM TASKS ON POWER SUPPLIES	UIZSJ UI-20 DO YOU PERFORM TASKS ON OUTPUT DEVICES	ULESZ UI-19 DO YOU PERFORM TASKS ON CONTROL SECTIONS	41-10	U1250 U1-17 DO YOU PERFORM	UIZ40 UI-10 DO YOU PERFORM	
200	00	00	200	00	DO	50	00	00	DO	
N 11 V	101	701	101	100	YOU	101	10	701	701	
TAS	Sn	Sn	SO	99	34	PE	34	34	34	
× 10	1 و	٦ ٦	E 0E	RFOR	RFOR	RFOR	RFOF	RFOR	#F 04	
10	GAR	GAR	CIB	1	ĩ	ĩ	ĩ	ì	ì	0
ENTI	HH	1111	S13	SKS	SXS	ASKS	ASX 5	ASKS	ASK S	DY-15k
4.4	5 1	5 1	10	0	0	02	0	0	0	*
1 14 C U	00	0 0	E X P R	F. O. W	001	207	TASKS ON ARITHHETIC SECTIONS	TASKS ON STURAGE DEVICES	TASKS ON INPUT DEVICES	
MBE	2	20	553	FR	PUT	TRO	H	RAG	Č	
115	15 >	7E 0	H	SUPP	1 30	18 J	11	0	0E V 1	
Z Z	116	410	-:	111	301	3	38	717	232	
PEX	NUAT	UT F	101	S	S	200	510	5		
FOR	10	3MO	104				S			
9	Z	- Z	AND							
				1						
_	-	=	55		~	_	0	0	-	151
w	15	-	55	~	~	_	0	۰.	-	SPC 152
•	0	0	55 55 60 54 50			0	0	0	0	SPC SPC SPC 152 153 154
5	7	:	54	. .	L	_	0	0	-	
c	10	-	50	- (0	0	0		0	155 195
	RAT	8								
	RATIOS	DB AND POWER								



AD-A045 040

AIR FORCE OCCUPATIONAL MEASUREMENT CENTER LACKLAND A--ETC F/G 5/9 COMMUNICATIONS ELECTRONICS SYSTEMS SPECIALIST AFSC 30455.(U) SEP 77 T J O'CONNOR, H T WELCH

UNCLASSIFIED

2 OF 2 ADA 045040







END DATE FILMED

NL

20F2 ADA 045040



NATIONAL BUREAU OF STANDARDS MICROCOPY RESOLUTION TEST CHART

SUPPLEMENTARY

INFORMATION

SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

corrected

	ATION PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM
. REPORT NUMBER	2. GOVT ACCESSION NO	3. RECIPIENT'S CATALOG NUMBER
AFPT 90-304-222	AD A04504	ASL/
6. TITLE (and Subtitio) Communications Electronics Sy	ystems Specialist	5. TYPE OF REPORT & PERIOD COVERE FINAL April 77 - June 77
AFSC 30455		6. PERFORMING ORG. REPORT NUMBER
Thomas J. O'Connor Harold T. Welch	mensimies testismen equipment sathtesames	8. CONTRACT OR GRANT NUMBER(s)
Occupational Survey Brancy USAF Occupational Measurement Lackland AFB TX 78236		10. PROGRAM ELEMENT, PROJECT, TASI
1. CONTROLLING OFFICE NAME AND ADDRE	SS	12. REPORT DATE
SAME AS ITEM 9		2 September 1977
SAME AS TIEM 9		13. NUMBER OF PAGES
14. MONITORING AGENCY NAME & ADDRESS(1	different from Controlling Office)	
		UNCLASSIFIED
		154. DECLASSIFICATION DOWNGRADING
Approved for public release;		ed
	distribution unlimite	
Approved for public release;	distribution unlimite	
Approved for public release; 7. DISTRIBUTION STATEMENT (of the abstract	distribution unlimite	rom Report)
Approved for public release; 7. DISTRIBUTION STATEMENT (of the abstract	distribution unlimite	rom Report)

DD 1 JAN 73 1473 EDITION OF 1 NOV 65 IS OBSOLETE

CONTINUED

UNCLASSIFIED

- This specialty has the following functions:

Installs, maintains, repairs, monitors, and analyzes performance of television systems and equipment producing radiated or cable transmitted signals; and operates and maintains associated test equipment. Installs RF transmission and television equipment. Performs preventive maintenance on television and RF transmission systems. Maintains inspection and maintenance records and completes maintenance data collection forms. Supervises television equipment maintenance personnel.